




Mahoney



Sash-Door

Co.



DEALERS CATALOGUE No.24

MAHONEY MILLWORK



2

WAREHOUSES FOR YOUR CONVENIENCE

You can avail yourself of the convenience of either of our two strategically located warehouses. Our complete line and speedy handling of your order helps you serve your customers efficiently and profitably. Let us serve you.

CANTON
1908 Mahoning Road
Phone 50353

YOUNGSTOWN
3761 Mahoning Ave.
Phone 9-3237

**MAHONEY
SASH & DOOR
COMPANY**

INDEX

ASTRAGAL, T	82	LOUVRES CIRCLE	22
BALANCES:		MANTELS	68-69
Grand Rapids	78	MARLITE	87
Unique	78	METAL CANE	80
Vikre	79	MIRRORS	38
BLINDS:	62-63	MOULDINGS	72 to 74
CEDAR CLOSET LINING	76	SASH:	
CHINA CABINET:	77	Barn	18-19
DOORS:		Casement	16-17
1 Panel Reg. W.P.P.	37	Cellar	19
2 Panel W.P.P.	37	Gable	21-22
3 Panel W.P.P.	36	1-Light	15
4 Panel W.P.P. RSD	37	Studio	20
5 Cross Panel W.P.P.	37	SASH CORD	82
6 Panel W.P.P.	37	SHUTTERS	62-63
Combination	58	SLIDING DOORS & HDWE.	84-85
Entrance Doors	49 to 56	STORM SASH	23-24
Flush - Solid Core	41-42-47	STORM SASH COMBINATION	25
Flush - Interior	39	STORM SASH HDWE.	80
Flush - Exterior	40, 43 to 46	STAIR WORK	59 to 61
French	57	STAIRWAY FOLDING	83
Garage Doors - Hinge	64	THRESHOLDS	82
Garage Doors - Overhead	65 to 67	THRIF-T CASEMENTS	28-29-30
Mirror	38	THRIF-T PICTURE UNITS	26-27
Sash Doors	49 to 56	THRIF-T RIBBON UNITS	31
Specials	34-35	UNIPAK CASEMENTS	88
DOOR JAMBS - 1	73	VENTILATING - SIDE-LIGHT	48
DOOR SILLS	82	WARDROBE CLOSETS	81
DOWELS	82	WINDOWS:	
ENTRANCE FRAMES	70-71	2-Light	3 to 13
FRAMES - DOOR & WINDOW	75	Cut-Ups	3 to 13
FRAMES PICTURE	20	KD Parts	14
GABLE SASH & FRAMES	21-22	Specials	34
GLASS	32-33	WOODLIFE and P.A.R.	86

MAHONEY MILLWORK

TERMS OF SALE

FREIGHT ALLOWANCE AND TRUCKING

FULL L.C.L. RAILWAY FREIGHT is allowed on all orders weighing 200 pounds or over.

Exceptions to freight allowance are noted with prices.

When goods are delivered by our truck we charge 30 cents per cwt., with a minimum charge of 90 cents. These deliveries save crating charges, as well as the expense of picking up and unpacking.

CASH DISCOUNT

2% CASH DISCOUNT is allowed as follows:

On all l.c.l. shipments paid for by or before the 10th. of the month following delivery. Payment is due net 30 days from 1st. of month following delivery.

INTEREST

WE CHARGE 6% INTEREST on all past-due accounts.

GUARANTEE

All woodwork comes manufactured as fine cabinet work, and should be so treated.

Defer shipment until building is dry.

Never expose doors to dampness or pile them at an angle.

When received, fit and hang immediately and seal top and bottom edge with heavy paint.

All defective material (subject to our approval) will be replaced free of charge. This guarantee applies ONLY to merchandise cared for according to above instructions.


The possession of this Design Book and Catalog by any person shall not be construed as an offer to sell him, or anyone else, the goods listed herein at the prices shown.

WHOLESALE ONLY 100% DEALER DISTRIBUTION

TWO LIGHT CHECK RAIL WINDOWS

1 3/8 Inches Thick

Red-E-Fit Rot-Proof



Plain 2-Light
SSB

Size of Glass	Mod. 2 lt.		Ohio 2 lt.	
	Open	Glzd.	Open	Glzd.
12 x 16	3.85	4.65	4.08	4.86
12 x 18	3.96	4.88	4.15	5.02
12 x 20	4.05	5.00	4.30	5.28
12 x 22	4.20	5.25	4.44	5.55
12 x 24	4.30	5.50	4.55	5.80
12 x 26	4.41	5.76	4.65	6.05
12 x 28	4.52	5.99	4.79	6.30
<hr/>				
14 x 16			4.19	5.00
14 x 18			4.32	5.17
14 x 20			4.45	5.40
14 x 22			4.55	5.90
14 x 24			4.67	6.12
14 x 26			4.79	6.29
14 x 28			4.90	6.85
<hr/>				
16 x 16	4.06	5.12	4.30	5.36
16 x 18	4.20	5.35	4.45	5.63
16 x 20	4.30	5.67	4.55	5.97
16 x 22	4.40	5.98	4.66	6.30
16 x 24	4.52	6.12	4.79	6.45
16 x 26	4.60	6.70	4.90	7.05
16 x 28	4.70	6.80	5.00	7.20
16 x 30	4.85	7.15	5.15	7.50
<hr/>				
18 x 16			4.45	5.50
18 x 18			4.55	5.95
18 x 20			4.65	6.22
18 x 22			4.78	6.75
18 x 24			4.89	7.00
18 x 26			5.02	7.43
18 x 28			5.16	7.67
18 x 30			5.27	7.99

ALL WINDOWS GLAZED WITH ARMGLAZE

W. P. PINE. 1 3/8" THICK. PRE-FITTED
TREATED WITH TOXIC AND WATER REPELLENT WOOD PRESERVATIVE

MAHONEY MILLWORK

TWO LIGHT CHECK

RAIL WINDOWS

1 3/8 Inches Thick


Red-E-Fit Rot-Proof



Top 3-Light
Wide SSB



Top 6-Light
3 Wide SSB



4 Horizontal Lights
SSB


Size of Glass	Top 3 Lt. Wd. Glzd.		Top 6 Lt. 3 Wd.		Top & Bot. 2 Lt. Hg.	
	Mod.	Ohio	Mod.	Ohio	Mod.	Ohio
12 x 16	6.15	6.40			6.65	6.80
12 x 18	6.40	6.65			6.90	7.15
12 x 20	6.55	6.80			7.05	7.30
12 x 22	6.80	7.05			7.30	7.50
12 x 24	7.05	7.30			7.55	7.80
12 x 26	7.20	7.60			7.80	8.10
12 x 28	7.50	7.80			7.90	8.20
<hr/>						
14 x 16		6.50				7.05
14 x 18		6.70				7.20
14 x 20		6.95				7.40
14 x 22		7.40				7.90
14 x 24		7.65				8.20
14 x 26		7.80				8.25
14 x 28		8.35				8.80
<hr/>						
16 x 16	6.65	6.90			7.15	7.40
16 x 18	6.90	7.15			7.40	7.65
16 x 20	7.20	7.50			7.70	8.00
16 x 22	7.50	7.80			8.00	8.30
16 x 24	7.65	7.99			8.15	8.50
16 x 26	8.20	8.55			8.70	9.00
16 x 28	8.35	8.75			8.90	9.25
16 x 30	8.65	9.00			9.10	9.50
<hr/>						
18 x 16		7.00				7.50
18 x 18		7.50				8.00
18 x 20		7.75				8.20
18 x 22		8.30				8.70
18 x 24		8.55				8.95
18 x 26		8.95				9.35
18 x 28		9.20				9.60
18 x 30		9.50				10.00



TWO LIGHT CHECK RAIL WINDOWS

1 $\frac{3}{8}$ Inches Thick

Red-E-Fit Rot-Proof



Plain 2-Light
SSB

Size of Glass	Mod. 2 lt.		Ohio 2 lt.	
	Open	Glzd.	Open	Glzd.
20 x 14	4.20	5.25	4.45	5.55
20 x 16	3.55	4.94	3.80	5.20
20 x 18	4.40	5.95	4.65	6.30
20 x 20	3.75	5.80	4.00	6.10
20 x 22	4.60	6.75	4.90	7.14
20 x 24	3.95	6.30	4.25	6.70
20 x 26	4.85	7.30	5.15	7.35
20 x 28	4.95	7.60	5.25	8.00
20 x 30	5.05	7.80	5.35	8.25
20 x 32	5.35	8.70	5.70	9.00
<hr/>				
22 x 16			4.65	6.20
22 x 18			4.75	6.20
22 x 20			4.90	7.10
22 x 22			5.00	7.40
22 x 24			5.15	7.65
22 x 26			5.27	7.95
22 x 28			5.29	8.25
22 x 30			5.50	8.80
22 x 32			5.85	9.35
<hr/>				
24 x 12	4.30	5.50	4.55	5.75
24 x 14	3.65	5.15	3.80	5.45
24 x 16	3.75	5.45	4.00	5.75
24 x 18	3.85	5.95	4.15	6.28
24 x 20	3.95	6.30	4.20	6.65
24 x 22	4.85	7.30	4.35	6.90
24 x 24	4.20	7.00	4.50	7.45
24 x 26	4.90	7.70	4.60	7.50
24 x 28	5.15	8.50	4.70	8.20
24 x 30	5.28	8.95	5.35	9.45
24 x 32	5.60	9.75	5.90	10.20
24 x 34	5.75	9.90	6.10	10.30
24 x 36	5.85	10.40	6.20	10.80

ALL WINDOWS GLAZED WITH ARMGLAZE

MAHONEY MILLWORK

TWO LIGHT CHECK RAIL WINDOWS

1 $\frac{3}{8}$ Inches Thick


Red-E-Fit Rot-Proof



Top 3-Light
Wide SSB



Top 6-Light
3 Wide SSB



4 Horizontal Lights
SSB


Size of Glass	Top 3 Lt. Wd. Glzd.		Top 6 Lt. 3 Wd.		Top & Bot. 2 Lt. Hg.	
	Mod.	Ohio	Mod.	Ohio	Mod.	Ohio
20 x 14	6.80	7.05	7.80	8.00	7.30	7.50
20 x 16	6.45	6.75	7.45	7.75	6.95	7.25
20 x 18	7.50	7.80	8.50	8.80	8.00	8.30
20 x 20	7.30	7.65	8.30	8.65	7.80	8.15
20 x 22	8.30	8.65	8.80	9.30	8.80	9.15
20 x 24	7.85	8.20	8.90	9.20	8.35	8.25
20 x 26	8.80	9.20	9.60	10.20	9.25	9.30
20 x 28	9.15	9.50	9.70	10.50	9.60	10.00
20 x 30	9.40	9.85	10.20	10.75	9.80	10.25
20 x 32	10.25	10.70	10.90	11.70	10.60	11.20
<hr/>						
22 x 16		7.75		8.70		8.20
22 x 18		8.15		9.10		8.65
22 x 20		8.60		9.60		9.00
22 x 22		8.95		9.95		9.45
22 x 24		9.20		10.10		9.70
22 x 26		9.50		10.50		10.00
22 x 28		9.80		10.80		10.25
22 x 30		10.40		11.40		10.40
22 x 32		10.90		11.80		11.40
<hr/>						
24 x 12	7.00	7.30	8.00	8.30	7.56	7.80
24 x 14	6.65	7.00	7.65	7.95	7.20	7.51
24 x 16	7.00	7.32	7.95	8.30	7.50	7.80
24 x 18	7.45	7.84	8.45	8.80	7.95	8.20
24 x 20	7.85	8.24	8.85	9.20	8.35	8.59
24 x 22	8.80	8.48	9.80	9.40	9.25	8.75
24 x 24	8.60	9.04	9.60	10.00	9.00	9.40
24 x 26	8.70	9.13	9.65	10.10	9.20	9.50
24 x 28	10.00	9.82	11.00	10.85	10.60	10.20
24 x 30	10.50	10.20	11.45	11.10	11.00	10.90
24 x 32	11.25	11.80	12.25	12.81	11.20	11.80
24 x 34	11.40	11.90	12.40	12.96	11.40	11.99
24 x 36	12.00	12.00	13.00	13.50	12.30	12.65



TWO LIGHT CHECK RAIL WINDOWS

1 $\frac{3}{8}$ Inches Thick

Red-E-Fit Rot-Proof



Plain 2-Light
SSB

Size of Glass	Open	Mod. 2 lt.	Glzd.	Open	Ohio 2 lt.	Glzd.
26 x 14				4.75		6.25
26 x 16				4.90		7.00
26 x 18				5.00		7.40
26 x 20				5.15		7.65
26 x 22				5.25		7.85
26 x 24				4.60		7.50
26 x 26				4.70		8.00
26 x 28				4.85		8.15
26 x 30				5.70		10.00
26 x 32				6.10		10.25
26 x 34				6.20		11.65
26 x 36				6.25		11.70
<hr/>						
27 x 20				5.20		7.90
27 x 22				5.35		8.25
27 x 24				5.50		8.80
27 x 26				5.60		9.25
27 x 28				5.10		9.50
27 x 30				5.35		10.15
27 x 32				6.20		11.40
<hr/>						
28 x 16	4.70	6.80		5.00		7.20
28 x 18	4.80	7.30		5.15		7.70
28 x 20	4.20	6.80		5.25		8.00
28 x 22	5.00	7.80		5.40		8.25
28 x 24	4.40	7.87		4.75		8.25
28 x 26	5.25	9.10		4.85		8.70
28 x 28	5.35	9.30		4.95		9.25
28 x 30	5.50	9.40		5.85		10.25
28 x 32	5.80	10.70		6.20		11.60
28 x 34	5.95	10.90		6.25		11.70
28 x 36	6.00	11.80		6.45		12.70


There is no extra charge for glazing with ARM-STRONG'S "ARMGLAZE", the elastic glazing compound that ends putty worries.

MAHONEY MILLWORK

TWO LIGHT CHECK RAIL WINDOWS

1 $\frac{3}{8}$ Inches Thick


Red-E-Fit Rot-Proof



Top 3-Light
Wide SSB



Top 6-Light
3 Wide SSB



4 Horizontal Lights
SSB


Size of Glass	Top 3 Lt. Wd. Glzd.		Top 6 Lt 3 Wd.		Top & Bot. 2 Lt. Hg.	
	Mod.	Ohio	Mod.	Ohio	Mod.	Ohio
26 x 14		7.80		8.70		8.25
26 x 16		8.50		9.50		9.00
26 x 18		8.80		9.80		9.40
26 x 20		9.20		10.15		9.65
26 x 22		9.50		10.50		10.50
26 x 24		9.00		10.00		9.60
26 x 26		9.60		10.65		10.15
26 x 28		10.25		11.20		10.80
26 x 30		11.60		12.50		12.00
26 x 32		11.90		12.80		12.40
26 x 34		13.10		14.10		13.70
26 x 36		13.30		14.30		13.80
<hr/>						
27 x 20		9.50		10.50		10.00
27 x 22		9.80		10.75		10.35
27 x 24		10.40		11.40		10.90
27 x 26		10.80		11.80		11.25
27 x 28		11.10		12.00		11.84
27 x 30		11.60		12.65		12.20
27 x 32		12.70		13.60		13.50
<hr/>						
28 x 16	8.35	8.70	9.35	9.70	8.90	9.25
28 x 18	8.80	9.20	9.60	10.20	9.35	9.70
28 x 20	8.40	9.50	9.35	10.50	8.90	10.00
28 x 22	9.45	9.85	10.40	10.80	9.90	10.35
28 x 24	9.35	9.80	10.30	10.80	9.80	10.30
28 x 26	10.70	10.25	11.70	11.20	11.20	10.75
28 x 28	11.10	10.90	12.00	11.90	11.65	11.40
28 x 30	11.20	11.70	12.25	12.70	11.70	12.25
28 x 32	12.60	12.20	13.60	14.25	13.10	13.60
28 x 34	12.70	13.30	13.70	14.25	13.20	13.80
28 x 36	13.58	14.20	14.40	15.20	14.00	14.50



TWO LIGHT CHECK RAIL WINDOWS

1 3/8 Inches Thick

Red-E-Fit Rot-Proof



Plain 2-Light

Size of Glass	Mod. 2 Lt.		Ohio 2 Lt.	
	Open	Glzd.	Open	Glzd.
30 x 14			5.00	7.10
30 x 16			5.15	7.50
30 x 18			5.35	7.95
30 x 20			4.60	7.55
30 x 22			5.50	8.85
30 x 24			4.85	8.50
30 x 26			5.70	10.00
30 x 28			5.85	10.16
30 x 30			5.98	11.50
30 x 32			6.35	11.75
30 x 34			6.45	12.60
30 x 36			6.60	12.70
<hr/>				
32 x 16	5.15	7.50	5.50	7.90
32 x 18	5.25	7.80	5.60	8.25
32 x 20	4.64	7.95	5.70	9.10
32 x 22	5.50	9.00	5.85	9.50
32 x 24	4.85	9.00	5.90	10.20
32 x 26	5.75	9.70	6.00	10.35
32 x 28	5.85	11.10	6.20	11.70
32 x 30	5.95	11.20	6.35	11.80
32 x 32	6.10	15.00	6.45	15.85
32 x 34	6.20	15.10	6.60	15.95
32 x 36	6.30	16.40	6.70	17.60
<hr/>				
34 x 20			5.85	9.10
34 x 24			6.10	10.30
34 x 26			6.20	11.00
34 x 28			6.35	11.75
34 x 30			6.45	12.65
34 x 32			6.60	15.90
34 x 34			6.70	17.60
34 x 36			6.80	19.00

ALL WINDOWS GLAZED WITH ARMGLAZE

MAHONEY MILLWORK

TWO LIGHT CHECK

RAIL WINDOWS

1 3/8 Inches Thick


Red-E-Fit Rot-Proof



Top 3-Light
Wide SSB



Top 6-Light
3 Wide SSB



4 Horizontal Lights
SSB

Size of Glass	Top 3 Lt. Wd. Glzd.		Top 6 Lt 3 Wd.		Top & Bot. 2 Lt. Hg.	
	Mod.	Ohio	Mod.	Ohio	Mod.	Ohio
30 x 14		8.64		9.60		9.15
30 x 16		9.04		10.03		9.50
30 x 18		9.50		10.50		10.03
30 x 20		9.09		10.08		9.60
30 x 22		10.40		11.40		10.80
30 x 24		10.06		11.05		10.55
30 x 26		11.61		12.60		12.10
30 x 28		11.69		12.68		12.20
30 x 30		13.06		14.05		13.50
30 x 32		13.20		14.29		13.80
30 x 34		14.15		15.10		14.70
30 x 36		14.27		15.20		14.75
<hr/>						
32 x 16	9.05	9.45	10.06	10.30	9.55	9.95
32 x 18	9.35	9.70	10.36	10.60	9.88	10.20
32 x 20	9.50	10.70	10.49	11.40	10.01	11.20
32 x 22	10.65	11.15	11.64	12.10	11.16	11.65
32 x 24	10.50	11.82	11.53	12.80	11.05	12.30
32 x 26	11.35	11.90	12.35	12.85	11.85	12.40
32 x 28	12.65	13.25	13.64	14.25	13.15	13.75
32 x 30	12.80	13.35	13.70	14.30	13.24	13.85
32 x 32	16.20	17.40	17.40	18.35	17.00	17.90
32 x 34	16.30	17.45	17.60	18.45	17.15	18.00
32 x 36	17.90	19.15	18.22	20.15	18.10	19.60
<hr/>						
34 x 20		10.65		11.60		11.10
34 x 24		11.85		12.80		12.35
34 x 26		12.55		13.50		13.00
34 x 28		13.30		14.20		13.80
34 x 30		14.15		15.15		14.70
34 x 32		17.45		18.40		18.00
34 x 34		19.15		20.15		19.65
34 x 36		20.54		21.50		21.05

**We Use Wood Life in The Complete Treatment of
All Sash and Windows**

TWO LIGHT CHECK RAIL WINDOWS

1 3/8 Inches Thick

Red-E-Fit Rot-Proof



Plain 2-Light
SSB

Size of Glass	Mod. 2 lt.		Ohio 2 lt.	
	Open	Glzd.	Open	Glzd.
36 x 16	5.39	8.15	5.70	8.60
36 x 18	5.52	8.75	5.85	9.25
36 x 20	4.88	8.50	5.95	9.75
36 x 22	5.76	9.75	6.10	10.30
36 x 24	5.12	9.70	6.20	10.30
36 x 26	5.98	11.00	6.35	11.70
36 x 28	6.11	11.90	6.45	12.60
36 x 30	6.21	12.10	6.60	12.70
36 x 32	6.32	16.50	6.70	17.60
36 x 34	6.45	17.89	6.80	18.80
36 x 36	6.56	17.98	6.90	19.00
<hr/>				
40 x 20	6.10	12.35	6.50	13.00
40 x 22	6.20	13.90	6.60	14.75
40 x 24	6.35	14.00	6.00	14.08
40 x 26	6.48	15.30	6.80	16.20
40 x 28	6.55	16.85	7.00	17.80
40 x 30	6.70	17.00	7.15	17.95
40 x 32	6.85	18.25	7.25	19.35
40 x 36	7.05	20.10	7.55	21.90
<hr/>				
44 x 20	6.35	14.10	6.75	14.90
44 x 22	6.45	15.30	6.85	16.20
44 x 24	6.55	15.40	7.00	16.25
44 x 26	6.70	17.00	7.15	17.95
44 x 28	6.80	18.25	7.25	19.20
44 x 30	6.90	20.60	7.40	21.80
44 x 32	7.05	20.70	7.50	21.90
44 x 36	7.30	20.85	7.80	22.05
<hr/>				
48 x 20	6.90	18.25	7.35	19.30
48 x 24	7.55	18.25	7.80	19.30
48 x 26	7.50	18.35	7.90	19.40
48 x 28	7.65	20.70	8.10	21.90
48 x 30	7.75	20.80	8.20	21.95
48 x 32	7.95	20.85	8.40	22.00
48 x 36	8.10	24.90	8.60	26.40

MAHONEY MILLWORK

TWO LIGHT CHECK


RAIL WINDOWS

1 3/4 Inches Thick

Red-E-Fit Rot-Proof



Top 3-Light
Wide SSB



4 Horizontal Lights
SSB

Size of Glass	Top 3 lt. Wd. Glzd.		Top & Bot. 2 lt. Hg.	
	Mod.	Ohio	Mod.	Ohio
36 x 16	9.69	10.10	10.20	10.60
36 x 18	10.33	10.80	10.80	11.30
36 x 20	10.08	11.30	10.55	11.75
36 x 22	11.36	11.90	11.85	12.40
36 x 24	11.30	12.60	11.80	13.00
36 x 26	12.73	13.35	13.24	13.90
36 x 28	13.58	14.25	14.05	14.75
36 x 30	13.66	14.30	14.15	14.80
36 x 32	18.73	19.00	18.70	19.60
36 x 34	19.50	20.50	20.00	21.05
36 x 36	19.60	20.60	20.10	21.10
<hr/>				
40 x 20	13.90	14.55	14.40	15.10
40 x 22	15.50	16.25	16.00	16.75
40 x 24	15.57	15.60	16.05	16.10
40 x 26	16.85	17.70	17.35	18.20
40 x 28	18.35	19.30	18.75	19.85
40 x 30	18.50	19.50	18.85	20.00
40 x 32	19.80	20.75	20.30	21.35
40 x 36	22.25	23.30	22.70	23.90
<hr/>				
44 x 20	15.65	16.40	16.15	16.90
44 x 22	16.85	17.70	17.35	18.20
44 x 24	16.90	17.80	17.45	18.30
44 x 26	18.50	19.50	19.00	20.00
44 x 28	19.80	20.75	20.25	21.35
44 x 30	22.15	23.30	22.65	23.85
44 x 32	22.25	23.40	22.70	23.85
44 x 36	22.40	23.50	22.90	24.00
<hr/>				
48 x 20	19.80	20.80	20.30	21.35
48 x 24	19.80	20.80	20.30	21.35
48 x 26	19.90	20.90	20.40	21.45
48 x 28	21.25	23.25	22.70	23.90
48 x 30	21.33	23.50	22.80	24.00
48 x 32	21.60	23.60	22.90	24.10
48 x 36	26.30	27.50	27.00	28.50

Rot-proofed with a Toxic Water-Repellent Solution




4 LIGHT WINDOWS

$1\frac{3}{8}$ " Thick, Check Rail

TWELVE LIGHT CHECK RAIL WINDOWS

$1\frac{3}{8}$ Inches Thick



Size of Glass	4 Light		Size of Glass	Top & Bot. 6 Lt. 3 Wd.	
	Mod.	Ohio		Ohio	
24 x 16	7.00	7.40	8 x 8	7.60	
24 x 20	7.75	8.20	8 x 10	8.65	
24 x 24	8.70	9.20	8 x 12	9.10	
24 x 26	9.00	9.50			
24 x 28	9.50	10.00			
24 x 30	10.00	10.50			
<hr/>					
27 x 24		10.24	9 x 12	9.24	
<hr/>					
30 x 24			10 x 12	10.10	

WINDOW EXTRAS

	RECTANGULAR		MARGINAL-VERTICAL or HORIZONTAL	
	Open	Glzd.	Open	Glzd.
ADD PER LIGHT				
		.30	.36	
		.42	.51	

DIVIDED LIGHTS--WOOD MUNTINS $3/8$ " BETWEEN GLASS


Add to the price of stock 2 lt. window or stock 1 lt. sash:

	Open	Glazed
For top sash 2 lights wide	\$.72	\$1.02
top sash 3 lights wide	1.08	1.53
top sash 4 lights wide	1.44	2.02
top sash 4 lights 2 wide	1.20	1.68
top sash 6 lights 3 wide	1.80	2.52
top sash 8 lights 4 wide	2.40	3.36
top sash 2 lights high72	1.02
top sash 3 lights high	1.08	1.53

For top and bottom divided lights, double the above prices.

Half Windows (Top or Bottom Sash), add to
half the price of a similar full window \$.45

K. D. WINDOW PARTS



1-3/8" OHIO LINEAL SASH STOCK

Per C. Lin.

1-3/8 x 2-1/4 Stiles	\$27.00
1-3/8 x 3 Bottom Rail	\$36.00
1-1/4" Check Rail	\$21.00
1-3/8 x 3/16 Muntin Bar	\$ 9.45
1-3/8 x 1/4 " "	\$ 9.45
1-3/8 x 1/2 " "	\$ 9.45

SECTION - 1 3/8" CK. RL.
← WINDOW

K. D. WINDOW PARTS

For 2-Light 1 3/8" Check Rail Windows
Toxic Treated and Pre-fit

	<u>Stiles</u>	<u>Top Rail</u>	<u>Check Rail</u>	<u>Bottom Rail</u>
12"	.45	.45	.38	.53
14"	.45	.45	.38	.60
16"	.51	.51	.42	.63
18"	.54	.54	.44	.66
20"	.57	.57	.44	.69
22"	.60	.60	.51	.75
24"	.63	.63	.53	.80
26"	.66	.66	.53	.87
28"	.69	.69	.57	.90
30"	.70	.70	.60	.96
32"	.80	.80	.65	1.02
34"	.83	.83	.68	1.04
36"	.87	.87	.68	1.13
40"	.96	.96	.75	1.26
42"	1.02	1.02	.80	1.29
44"	1.18	1.18	.87	1.43
48"	1.25	1.25	.99	1.65

Note:—When ordering be sure to state whether stiles for windows are to be "Top Stiles" or "Bottom Stiles". Always order Stiles in pairs.



ONE LIGHT SASH



ONE LIGHT SASH
1 3/8" THICK
W. P. PINE

OHIO OPENINGS

Glass Sizes	Open	Glazed S.S.	Size of Opening
16 x 20	3.00	3.90	1-8-1/2x2-1
24	3.05	4.25	1-8-1/2x2-5
18 x 20	3.05	3.80	1-10-1/2x2-1
24	3.10	4.10	1-10-1/2x2-5
30	3.25	4.50	1-10-1/2x2-11
20 x 20	3.10	4.30	2-0-1/2x2-1
24	3.20	4.60	2-0-1/2x2-5
30	3.30	4.90	2-0-1/2x2-11
24 x 16	3.05	3.85	2-4-1/2x1-9
18	3.10	4.10	2-4-1/2x1-11
20	2.45	3.80	2-4-1/2x2-1
24	2.50	4.20	2-4-1/2x2-5
26	3.28	4.70	2-4-1/2x2-7
28	3.35	5.50	2-4-1/2x2-9
30	3.35	5.20	2-4-1/2x2-11
26 x 24	3.35	4.70	2-6-1/2x2-5
26	3.35	4.90	2-6-1/2x2-7
28	3.40	5.20	2-6-1/2x2-9
30	3.45	5.45	2-6-1/2x2-11
30 x 16	3.20	4.30	2-10-1/2x1-9
18	3.25	4.50	2-10-1/2x1-11
20	3.30	4.70	2-10-1/2x2-1
24	3.45	5.25	2-10-1/2x2-5
30	3.55	6.40	2-10-1/2x2-11
36 x 20	3.70	6.00	3-4-1/2x2-1
24	3.80	6.90	3-4-1/2x2-5
40 x 20	3.90	7.00	3-8-1/2x2-1
24	4.00	8.20	3-8-1/2x2-5
44 x 20	4.10	8.25	4-0-1/2x2-1
24	4.20	8.90	4-0-1/2x2-5
48 x 20	4.20	8.25	4-4-1/2x2-1
24	4.35	10.20	4-4-1/2x2-5


All above sizes made to order from K.D.

OHIO OPENINGS**CASEMENT SASH****13/8" Thick W.P.P.**
**Six-Light Casement
Sash**
2 Lights Wide, 3 Lights High

<u>Size of Glass</u>	<u>Glazed</u>	<u>Size of Opening</u>
8 x 10	4.05	1-8-1/2x2-11-1/2
8 x 12	4.50	1-8-1/2x3-5-1/2
10 x 10	5.00	2-0-1/2x2-11-1/2
10 x 12	5.00	2-0-1/2x3-5-1/2

**Eight-Light Casement
Sash**
2 Lights Wide, 4 Lights High

<u>Size of Glass</u>	<u>Glazed</u>	<u>Size of Opening</u>
8 x 10	5.90	1-8-1/2x3-10-1/8
8 x 12	6.50	1-8-1/2x4-6-1/8
10 x 10	7.00	2-0-1/2x3-10-1/8
10 x 12	7.00	2-0-1/2x4-6-1/8

**Twelve-Light
Casement or Barn Sash**
3 Lights Wide, 4 Lights High

<u>Size of Glass</u>	<u>Glazed</u>	<u>Size of Opening</u>
8 x 10	7.80	2-4-1/2x3-10-1/8
8 x 12	8.40	2-4-1/2x4-6-1/8

For rabbeting in Pairs, ADD \$1.00 List per Pair.

Sash rabbeted in pair make opening in width
1/2" narrower than combined width of both sash.

CASEMENT SASH

13/8" Thick W.P.P.

OHIO OPENINGS

THREE LIGHT



<u>Size of Glass</u>	<u>Glazed S.S.</u>	<u>Size of Opening</u>
16 x 10	4.60	1-8-1/2x2-11-1/2
16 x 12	4.90	1-8-1/2x3-5-1/2
18 x 12	6.00	1-10-1/2x3-5-1/2
20 x 12	6.00	2-0-1/2x3-5-1/2

Divided Three Horizontal Lights

FOUR LIGHT



<u>Size of Glass</u>	<u>Glazed S.S.</u>	<u>Size of Opening</u>
16 x 10	6.20	1-8-1/2x3-10-1/8
16 x 12	6.65	1-8-1/2x4-6-1/8
18 x 12	8.25	1-10-1/2x4-6-1/8
20 x 12	8.25	2-0-1/2x4-6-1/8

Divided Four Horizontal Lights

For Rabbeting in Pairs, ADD \$1.00 List per Pair.

There is no extra charge for glazing with ARM-STRONG'S "ARMGLAZE", the elastic glazing compound that ends putty worries.



Arm-Glaze takes an initial "set" *immediately* after application. Arm-Glaze'd sash can be shipped **AT ONCE**, and *without risk* of costly reconditioning.

Unlike putty, this amazing compound *retains its oil*—withstands years of weathering without cracking or crumbling.

OHIO OPENINGS

Barn Sash



6-Light, 3 Wide
SSB

SIX LIGHT BARN SASH
1 1/8" W. P. P.

<u>Size of Glass</u>	<u>Glazed S.S.</u>	<u>Size of Opening</u>
8 x 10	3.87	2-4-1/2x2-1
10 x 12	4.70	2-10-1/2x2-5



6-Light, 3 Wide
SSB

SIX LIGHT BARN SASH
1 3/8" W. P. P.

<u>Size of Glass</u>	<u>Glazed S.S.</u>	<u>Size of Opening</u>
8 x 10	4.12	2-4-1/2x2-1
8 x 12	4.49	2-4-1/2x2-5
9 x 12	4.75	2-7-1/2x2-5
9 x 14	5.15	2-7-1/2x2-9
10 x 12	5.00	2-10-1/2x2-5
10 x 14	5.50	2-10-1/2x2-9


NINE LIGHT BARN SASH
1 3/8" W. P. P.

<u>Size of Glass</u>	<u>Glazed S.S.</u>	<u>Size of Opening</u>
8 x 10	6.00	2-4-1/2x2-11
8 x 12	6.70	2-4-1/2x3-5
10 x 12	7.00	2-10-1/2x3-5

OHIO OPENINGS



TWO LIGHT CELLAR SASH

1 3/8" W. P. P.

<u>Size of Glass</u>	<u>Glazed S.S.</u>	<u>Size of Opening</u>
10 x 12	2.50	2-0-1/2x1-5
10 x 14	2.65	2-0-1/2x1-7
12 x 12	2.75	2-4-1/2x1-5
12 x 16	3.20	2-4-1/2x1-9

THREE LIGHT CELLAR SASH

1 3/8" W. P. P.



<u>Size of Glass</u>	<u>Glazed S.S.</u>	<u>Size of Opening</u>
8 x 8	2.65	2-4-1/2x1-1
8 x 10	2.65	2-4-1/2x1-3
8 x 12	2.90	2-4-1/2x1-5
8 x 16	3.25	2-4-1/2x1-9
9 x 12	2.95	2-7-1/2x1-5
9 x 16	3.35	2-7-1/2x1-9
10 x 12	3.10	2-10-1/2x1-5
10 x 16	3.80	2-10-1/2x1-9

FOUR LIGHT BARN SASH

1 1/8" W. P. P.



<u>Size of Glass</u>	<u>Glazed S.S.</u>	<u>Size of Opening</u>
8 x 10	2.90	1-8-1/2x2-1
10 x 12	3.50	2-0-1/2x2-5

FOUR LIGHT BARN SASH

1 3/8" THICK W. P. P.



<u>Size of Glass</u>	<u>Glazed S.S.</u>	<u>Size of Opening</u>
8 x 10	3.20	1-8-1/2x2-1
8 x 12	3.45	1-8-1/2x2-5
9 x 12	3.60	1-10-1/2x2-5
9 x 14	3.85	1-10-1/2x2-9
10 x 12	3.75	2-0-1/2x2-5
10 x 14	4.10	2-0-1/2x2-9
10 x 16	4.75	2-0-1/2x3-1
12 x 16	5.15	2-4-1/2x3-1


PICTURE WINDOWS AND FRAMES

1 3/8" THICK — W. P. PINE




No - 414

Picture Window Opening Size	Sash Only Glazed D.S.	K.D. Frame Only
4'-6" x 4'-6"	\$22.45	\$22.40
5'-4" x 4'-6"	26.10	22.75
5'-8" x 4'-6"	26.90	22.90
5'-4" x 5'-2"	27.45	23.15
5'-8" x 5'-2"	27.80	23.90




No - 333

Picture Window Opening Size	Sash Only Glazed D.S.	K.D. Frame Only
4'-6" x 4'-6"	\$27.48	\$22.40
5'-4" x 4'-6"	29.50	22.40
5'-8" x 4'-6"	30.00	22.90
5'-4" x 5'-2"	30.50	23.15
5'-8" x 5'-2"	32.10	23.90



No - 104


Picture Window Opening Size	Sash Only Glazed D.S.	K.D. Frame Only
4'-6" x 4'-6"	\$26.40	\$22.40
5'-4" x 4'-6"	28.10	22.40
5'-8" x 4'-6"	29.50	22.90
5'-4" x 5'-2"	30.00	23.15
5'-8" x 5'-2"	31.50	23.90



No - 100

Picture Window Opening Size	Sash Only Glazed Plain Plate	K.D. Frame Only
4'-6" x 4'-6"	\$57.06	\$22.40
5'-0" x 4'-6"	62.50	22.40
5'-4" x 4'-6"	65.20	22.40
5'-8" x 4'-6"	68.90	22.70
5'-4" x 5'-2"	72.80	23.15
5'-8" x 5'-2"	84.50	23.90

9 DESIGNS IN ONE



Low cost and wide versatility in design accounts for the amazing popularity of these units.

The two basic units shown above may be installed as one light sash or converted to any of the designs shown below in a few

minutes time. A set of prefrit division bars (see above) are furnished with each unit.

The result—18 distinctly different designs yet only two units to stock. This remarkable flexibility permits low-cost mass production and solves distribution problems.





Fig. No. 1



The prefrit grilles or division bars, 1/2" x 3/4" deep, are merely slipped in place against the inside surface of the glass. They are held by frictional contact with four small metal angle clips supplied with each unit. They are instantly removable for painting or to facilitate the washing of the glass. When installed the division bars produce the same effect as standard-type divided sash.




Fig. No. 2

CIRCLE-DESIGN-FL-1255

OCTAGON-DESIGN-FL-1256

PRICE

\$16.60

\$13.25

GABLE SASH AND FRAMES

Sash 1 3/8" Thick, Glazed SSB

W. P. PINE — CARTON PACKED

Completely Rot-Proofed




M-100

M-100.....3-0 x 1-6..... 30.00


M-200.....1-6 x 1-6..... 18.00

M-400.....2-0 x 2-0..... 36.00

M-600.....2-0 x 2-0..... 36.00




M-400



M-200

Prices include sash and frame. Made circle exterior and square interior, thus permitting sash to be slid or hinged as desired.



M-600

GABLE SASH AND FRAME




No - 112..... \$50.00

No - 252..... 19.50

No. 112 ROUNDVENT with screen. Upper sash is fixed; inner sash is a complete circle with screen in upper half. This sash rotates on a stainless steel weatherstripped track for ventilation.


Rough Stud Opening 2-2 x 2-2.

WOOD LOUVRES



No. 252 ROUNDOLOUVER with screen. An 18" round frame with six louvers fit in center. Stud opening 21". Moulded casing on the outside. Louvers built with a round frame. Will not leak or house bird's nests.

Ohio Openings



STORM SASH



Glass Sizes	OHIO ST. SH. Glazed	Glass Sizes	OHIO ST. SH. Glazed	Glass Sizes	OHIO ST. SH. Glazed	Glass Sizes	OHIO ST. SH. Glazed
12x16-2lt.	4.78	22x16-2lt.	6.42	28x16-2lt.	7.08	36x16-2lt.	8.44
18	5.03	18	6.92	18	7.55	18	9.10
20	5.19	20	6.57	20	7.12	20	8.87
22	5.44	22	6.80	22	7.43	22	10.17
24	5.70	24	7.36	24	8.11	24	10.13
26	5.95	26	7.43	26	8.76	26	10.84
28	6.18	28	8.11	28	9.18	28	11.70
		30	9.27	30	9.26	30	11.80
		32	10.09	32	11.51	32	13.70
14x16	5.40			34	11.59	34	18.63
18	5.54			36	12.47	36	18.71
20	5.87	24x12	5.70				
22	6.18	14	5.36	30x14	6.65		
24	6.34	16	5.67	16	7.04		
26	6.92	18	6.17	18	7.36		
28	7.08	20	6.57	20	8.27	40x20	12.80
		22	6.80	22	8.68	22	14.45
16x16	5.40	24	7.36	24	9.34	24	13.75
18	5.54	26	7.43	26	9.42	26	15.12
20	5.12	28	8.11	28	10.76	28	16.70
22	6.18	30	8.52	30	10.85	30	16.85
24	5.59	32	9.34	32	12.47	32	18.90
26	6.17	34	10.25	34	12.55	36	21.40
28	7.08	36	10.35	36	13.74		
30	7.40						
		26x14	6.02	32x16	7.04		
18x16	5.87	16	6.33	18	7.36	44x20	14.60
18	5.43	18	6.80	20	8.27	22	15.95
20	6.00	20	7.12	22	9.43	24	15.95
22	7.00	22	7.43	24	9.34	26	17.60
24	6.57	24	8.11	26	9.42	28	18.90
26	6.80	26	8.76	28	11.50	30	21.35
28	7.12	28	9.18	30	11.60	32	21.45
30	8.18	30	9.26	32	12.47	36	21.60
		32	11.51	34	12.55		
20x14	4.69	34	11.59	36	13.74		
16	5.12	36	12.47				
18	5.43			34x20	9.62		
20	6.00	27x20	7.87	24	10.88	48x20	18.90
22	6.25	22	8.18	26	11.59	24	18.90
24	6.57	24	8.11	28	12.40	26	18.90
26	6.80	26	9.51	30	12.56	28	19.00
28	7.12	28	9.18	32	13.74	30	21.45
30	7.43	30	10.01	34	18.60	32	21.60
32	9.02	32	11.51	36	18.70	36	25.90

OHIO OPENINGS



STORM SASH


OHIO OPENINGS

ONE LIGHT STORM SASH

<u>Glass Sizes</u>	<u>1 lt. Prices</u>	<u>Glass Sizes</u>	<u>1 lt. Prices</u>
16 x 16	3.27	26 x 14	4.06
18	3.35	16	4.06
20	3.55	18	4.22
22	3.70	20	4.37
24	3.70	24	4.69
30	4.29	26	4.92
		30	5.55
<hr/>		<hr/>	
18 x 18	3.59	28 x 16	4.14
20	3.74	18	4.37
22	4.00	20	4.53
24	4.06	24	4.92
26	4.29	26	5.32
28	4.37	30	5.63
30	4.53		
<hr/>		<hr/>	
20 x 16	3.59	30 x 14	4.29
18	3.74	16	4.29
20	4.06	18	4.53
24	4.29	20	4.69
26	4.37	24	5.16
30	4.69	26	5.55
<hr/>		28	5.63
		30	6.34
<hr/>		<hr/>	
24 x 14	3.83	36 x 16	4.85
16	3.83	18	5.16
18	4.06	20	5.48
20	4.29	22	6.11
24	4.61	24	6.11
26	4.69	26	6.50
30	5.16	<hr/>	
		40 x 20	5.87
		24	6.07

ALL SASH GLAZED WITH ARMGLAZE




3-PIECE COMBINATION




SCREEN IN SUMMER

Inside view showing screen section in place. Friction stay permits screen to swing open and fastens it securely when closed.



STORM SASH IN WINTER

Lower storm sash section open for ventilation. Friction stay holds it firmly in any position without rattling and locks the sash tightly shut.



Glass Size 2 Light	Aluminum Wire Complete Unit Including Screen Section	Glass Size 2 Light	Aluminum Wire Complete Unit Including Screen Section	Glass Size 2 Light	Aluminum Wire Complete Unit Including Screen Section
16 x 16	\$ 8.40	24 x 12	\$ 9.10	28 x 30	\$16.80
16 x 18	8.65	24 x 14	9.75	28 x 32	19.00
16 x 20	8.80	24 x 16	10.10	28 x 36	20.75
16 x 24	10.10	24 x 18	10.35		
16 x 26	11.20	24 x 20	10.90	30 x 14	11.50
16 x 28	11.35	24 x 22	12.30	30 x 16	11.85
		24 x 24	12.50	30 x 18	12.60
18 x 18	9.40	24 x 26	12.62	30 x 20	13.50
18 x 20	10.30	24 x 28	12.75	30 x 24	15.20
18 x 24	11.40	24 x 30	13.99	30 x 26	15.25
18 x 26	11.60	24 x 32	15.75	30 x 28	16.60
18 x 28	12.25	24 x 36	17.52	30 x 30	18.75
18 x 30	13.00			30 x 32	19.70
		26 x 16	11.28	30 x 36	20.80
20 x 16	9.40	26 x 18	10.75	32 x 20	13.75
20 x 18	10.30	26 x 20	12.30	32 x 24	14.80
20 x 20	11.50	26 x 24	12.50	32 x 26	17.80
20 x 22	10.75	26 x 26	13.60	32 x 28	18.70
20 x 24	11.05	26 x 28	13.80	32 x 30	21.00
20 x 26	11.40	26 x 30	14.40		
20 x 28	12.10	26 x 32	17.50	36 x 20	15.80
20 x 30	12.45	26 x 36	18.90	36 x 24	16.90
				36 x 26	20.10
22 x 18	10.80	28 x 16	11.40	36 x 28	20.75
22 x 22	11.70	28 x 18	12.25	36 x 30	21.20
22 x 24	12.20	28 x 20	12.60	40 x 24	22.00
22 x 26	12.55	28 x 24	14.15	40 x 26	22.90
22 x 28	12.72	28 x 26	15.60	40 x 28	26.20
22 x 30	14.55	28 x 28	16.30	40 x 30	26.60

HANGING HARDWARE INCLUDED IN ABOVE PRICES

Intermediate sizes (on even inch glass width and height only) can be furnished; for prices use next large stock size and add \$1.80 per unit.


THE UNIT YOU HAVE BEEN LOOKING FOR

ALL TYPES of WALL CONSTRUCTION

The Thrif-T PICTURE WINDOW UNITS

SIDE CASEMENTS — 4 LT. or 8 LT. — WEATHERSTRIPPED and SET UP


Side sash, 16/ x 12" glass size,
4 lt. casements, glazed plain,



*Thrif-T operating hardware is installed on sill of
frame directly below stool — all parts concealed
except cranks.*

NOTE: The Thrif-T PICTURE WINDOW UNIT is
COMPLETE. Even the Stool and Apron are
included.

DETAIL OF OPERATING HARDWARE



The stud opening should be 7'-7 1/4" wide,
4'-10" high. Stop the shiplap 1-3/4" back
from stud opening at each side and 2 1/2"
from bottom of rough header.

BRICK OPENING

For brick veneer and masonry walls —
7'-7 1/2" x 4'-10 1/2".

FULL VENTILATION

ACHIEVED with SIDE

CASEMENTS through

EASY CHAIR CONTROL

LIST

PRICE..... \$118.70

For Storm Sash..... ADD \$ 28.80

Screens wired Bronze

*Thrif-T operating hardware is installed on sill of
frame directly below stool — all parts concealed
except cranks.*

Thrif-T *De Luxe* PICTURE WINDOW UNITS

CENTER SASH made for THERMOPANE • TWINDOW and
STANDARD GLAZING



LARGE GLASS AREA

Center sash is made for Thermopane or Twindow Glass. Carefully designed for sturdy construction — yet streamlined for beauty.

Center sash can also be glazed Double Strength, Crystal Sheet or Plain Plate. Glass stop is made by ripping inside liner to proper size.

For glass sizes of center sash when glazed with double strength, crystal sheet or plain plate glass add $\frac{3}{8}$ " to width and $\frac{3}{8}$ " to height of sizes for Thermopane or Twindow glass — for example, glass size of No. 48-4 when center sash is glazed double strength is $48\frac{7}{8}$ " x $50\frac{3}{8}$ ".

THRIF-T DELUXE PICTURE WINDOW UNIT 56-4

Screens and Storm Sash Furnished
for Side Casements, Center Sh. K.D.
for use with either Plate or Twindow.


ABUNDANCE OF LIGHT

Glass Sizes, Center Sash
(For Thermopane or Twindow Glass)


No. 56-4 $56\frac{1}{2}$ " x 50"

Glass Sizes, Side Casements
16 x 12 4 Horizontal Lights

Stud Opening
 $8'-11\frac{1}{4}"$ x $4'-9\frac{3}{4}"$



For Glazing with Thermo-
pane or Twindow Glass



For Glazing with Double Strength,
Crystal Sheet or Plain Plate

PRICE..... \$123.00

UNITS COME COMPLETE — EVEN STOOL
AND APRON ARE INCLUDED

SHIPPED IN THREE BUNDLES

BUNDLE 1 — Two weatherstripped casement units completely assembled with sash, screen and all hardware installed.

BUNDLE 2 — One large sash for center.

BUNDLE 3 — Frame parts, including stool and apron. These parts complete the unit.

Note: Storm sash for side casements are furnished separately — glazed and shipped in one bundle.

*Comes complete — Casements assembled
— Easy to install — Entire unit Ponderosa Pine — Treated for long life.*

**CARRIED
IN STOCK**

MADE TO FIT ALL TYPES OF WALLS — Thrif-T 4 Hi

TWIN CASEMENT UNITS

READY to INSTALL

The stud opening is 3'-9" wide, 4'-10" high.
Stop the shiplap 2" back from stud opening at each side and 2½" from bottom of rough header.

IDEALLY SUITED
TO ALL TYPES of
WALL CONSTRUCTION



BRICK OPENING

For brick veneer and masonry walls —
3'-9⅞" x 4'-10½".

UNITS COME COMPLETE — EVEN STOOL
AND APRON ARE INCLUDED

Set up — READY
TO INSTALL

Sash operate freely
(No binding)


Completely
weatherstripped

All hardware and
weatherstrip supplied

Sash and screen installed

Treated for long service
life

DETAIL OF OPERATING HARDWARE



THRIF-T TWIN CASEMENT UNIT "4-HIGH"

Price per unit including screens wired bronze.

LIST

PRICE.....\$74.60

For Storm Sash ADD \$10.40

SIZE

One size and design only—glass 16 x 12, 4 horizontal
lights in each sash, glazed plain, bedded in putty.

Thrif-T SINGLE CASEMENT UNITS

FIT ANY TYPE OF WALL



NEW FEATURES

MADE FOR 1/2" to 25/32" SHEATHING — DRY WALL CONSTRUCTION — PLASTER RETURN.

WIDE BLIND STOPS MAINTAINED

Blind Stops remain unchanged — 3 3/4" wide at head — 3 1/4" wide at side.

Wide blind stops are important strength factors in good construction.

COMPLETE

Stool — apron and screens are included (storm sash available at extra charge).

Set up — READY TO INSTALL

Sash operate freely (No binding)

Completely weatherstripped

All hardware and weatherstrip supplied

Sash and screen installed

Treated for long service life



Thrif-T Single Casement Unit 16" x 10", 3 lt.
(Stud opening 1'-11 1/4" wide — 3'-3" high.)\$31.20

Thrif-T Single Casement Unit 16" x 12", 4 lt.
(Stud opening 1'-11 1/4" wide — 4'-9 1/4" high.)\$37.35

NOTE TO CARPENTER


Stop shiplap 2" back from stud opening at each side — and 2 3/4" from bottom of rough header. This applies to both the 3 lt. and the 4 lt. Single Casement Units.

CARRIED IN STOCK

Thrif-T TWIN KITCHEN CASEMENT **UNIT** FITS ANY TYPE OF WALL



DETAIL OF OPERATING HARDWARE




Thrif-T operating hardware is installed on sill of frame directly below stool — all parts concealed except cranks.

IMPORTANT INFORMATION FOR CARPENTER

The stud opening is 3-9/16 wide, 3-3 high. Stop ship-

lap 2" back from stud opening at each side and 2 1/2" back from bottom of rough header.



**EXTRA
NARROW
MULLION**

**UNITS COME COMPLETE — EVEN STOOL
AND APRON ARE INCLUDED**

MADE TO FIT ALL TYPES OF WALLS

THRIF-T TWIN KITCHEN UNITS

Price per unit including screens wired bronze.

LIST


PRICE..... \$59.80
For Storm Sash..... ADD \$ 8.90

CARRIED IN STOCK — CARTON PACKED—READY FOR IMMEDIATE SHIPMENT

Here is the Answer to the Plea for MORE WALL SPACE

Thrif-T RIBBON UNITS Single and Twin

Thrif-T Ribbon Units lend themselves ideally to the long low horizontal lines of the Ranch Type or Contemporary Home.



Here is the answer to the plea for "MORE WALL SPACE." Thrif-T Ribbon Units provide the wall space — and the LIGHT and VENTILATION as well.

Made to line at head with other windows and doors, thus the space below the Thrif-T Ribbon Units is 100% usable for chairs, beds, tables, desks, etc.



SET UP
READY TO
INSTALL



The fact that Thrif-T Ribbon Units are furnished in Single, Twin and Triple offers a gratifying flexibility for those who do home planning.

The sash of the Thrif-T Ribbon Unit is 28" x 16", 1 lb., 13/8" thick. Glazed plain glass bedded in putty.

For Frame — Brick Veneer — Masonry Walls.

Complete — Fully weatherstripped — screen — all hardware applied — even stool and

head plaster ground included. Carton Packed. COMPLETE — NO EXTRAS TO BUY.

STUD OPENINGS — SINGLE, 2'-10 1/2" wide by 2'-2 3/4" high. TWIN, 5'-8" wide by 2'-2 3/4" high. TRIPLE, 8'-5 1/2" wide by 2'-2 3/4" high.

PRICES PER UNIT INCLUDING SCREEN

SINGLE UNIT.....\$26.25

TWIN UNIT.....\$53.15

Set rough headers 3 1/2" above finished door opening in height. Stop shiplap 2 1/4" from stud opening at each side and 1/2" back from bottom of rough header.

WINDOW GLASS

(Window Glass Light List, Dated February 1, 1950)

SSB & DSB ALL SIZES

Per Lt.....80% Discount

MISCELLANEOUS GLASS

Obscure Glass 1/8"—Industrix, Ribbed and Hammered.....\$.72 Sq. Ft.

Figured Wire Glass 1/4"—Ribbed, Rough, Hammered & Hylite.....\$1.32 Sq. Ft.

Syenite, Pebblex, Florentine.....\$1.65 Sq. Ft.

PLATE GLASS AND MIRRORS

Polished Plate Glass (List, Dated March 1, 1950).....44% Discount
1/8", 13/64" and 1/4" Thickness--All Sizes

Plain Plate Mirrors, Regular Book.....60% Discount
(List, Dated April 1, 1950)

LEADED GLASS

PRICE PER SQUARE FOOT -- GLAZING EXTRA
Minimum Charge, 3 Sq. Ft. Per Light

3/8" Flat Lead D.S. Glass--Plain Rectangular Lights.....\$3.30

1/2" Flat Lead D.S. Glass--Plain Rectangular Lights.....\$3.50

3/8" Flat Lead D.S. Glass--Plain Diamond Lights.....\$3.50

1/2" Flat Lead D.S. Glass--Plain Diamond Lights.....\$4.00

3/8" Flat Zinc D.S. Glass--Plain Rectangular Lights.....\$3.50

3/8" Flat Zinc D.S. Glass--Plain Diamond Lights.....\$4.05

For Concealed Reinforcing, Add, Per Square Ft.....\$.65

SINGLE STRENGTH "B"

WINDOW GLASS

PRICED PER BOX

Glass Size	Lights Per Box	Price	Glass Size	Lights Per Box	Price	Glass Size	Lights Per Box	Price	Glass Size	Lights Per Box	Price
7x12	86	\$10.02	12x28	21	\$10.02	18x20	20	\$10.02	24x30	10	\$10.77
7x13	79	10.02	12x30	20	10.17	18x24	17	10.17	24x32	9	10.77
8x10	90	10.02	12x32	19	10.17	18x28	14	10.17	24x36	8	10.77
8x12	75	10.02	12x36	17	10.17	18x30	13	10.17	24x40	8	11.70
9x12	67	10.02	13x14	40	10.02	18x32	13	10.17	26x28	10	10.77
9x13	62	10.02	14x14	37	10.02	18x36	11	10.77	26x30	9	10.77
9x14	57	10.02	14x16	32	10.02	18x40	10	10.77	26x32	9	10.77
9x16	50	10.02	14x18	29	10.02	20x20	18	10.02	26x36	8	11.70
10x12	60	10.02	14x20	26	10.02	20x24	15	10.17	26x40	7	11.70
10x13	55	10.02	14x24	21	10.02	20x26	14	10.17	28x28	9	10.77
10x14	51	10.02	14x28	18	10.17	20x28	13	10.17	28x30	9	10.77
10x16	45	10.02	14x32	16	10.17	20x30	12	10.17	28x32	8	10.77
10x20	36	10.02	14x36	14	10.17	20x32	11	10.77	28x36	7	11.70
10x28	26	10.02	16x16	28	10.02	20x36	10	10.77	28x40	6	11.70
10x32	23	10.17	16x18	25	10.02	20x40	9	10.77	30x32	8	11.70
11x13	50	10.02	16x20	23	10.02	22x24	14	10.17	30x40	6	11.70
12x12	50	10.02	16x24	19	10.02	22x28	12	10.17	32x32	7	11.70
12x13	46	10.02	16x26	17	10.17	22x30	11	10.77	32x36	6	11.70
12x14	43	10.02	16x28	16	10.17	22x32	10	10.77	32x40	6	13.05
12x16	38	10.02	16x30	15	10.17	22x36	9	10.77	34x36	6	11.70
12x20	30	10.02	16x32	14	10.17	24x24	12	10.17	36x36	6	13.05
12x24	25	10.02	16x36	13	10.77	24x26	12	10.17	36x40	5	13.05
12x26	23	10.02	16x40	11	10.77	24x28	11	10.77			

List Prices of WINDOW GLASS

WE SELL AND SHIP BOXES ONLY

Special List Extras

Open Sash and Windows not listed are priced as follows:

One Light Sash 1 1/8 and 1 3/8	9 1/2¢ per united inch glass measure
One Light Sash 1 3/4	14 1/2¢ per united inch glass measure
Minimum Charge	1 3/8 — 3.30 per open sash 1 3/4" — 3.65

For Sash Divided with Wood Bars, add as follows:

	1 1/8 & 1 3/8	1 3/4
Square Lights (Bars not over 3/8" Between Glass)	\$.33	\$.43
Vertical or Horizontal Lights (Bars not over 3/8" Between Glass)	.40	.53
Marginal Lights (Bars not over 3/8" Between Glass)	.40	.53
Diamond Lights, not suspended	1.50	1.70
Muntin Bars 1/2" Between Glass, add per light	.09	.14
Muntin Bars 3/4" Between Glass, add per light	.17	.22
Muntin Bars 1" Between Glass, add per light	.24	.29
Rabbeting Sash, per cut	.54	.36
Rabbeting and Beading, per cut	1.08	.64
Rabbeting One Light Sash for Plate	.90	
Rabbeting Divided Lights for Plate, per light	.36	

For Fancy Heads, add as follows:

Circle Top (Circle Glass, Circle Opening)	\$12.75
Circle Top (Circle Glass, Square Opening)	14.50
Segment Top (Segment Glass, Square or Segment Opening)	7.25
Quarter Circle Sash (Quarter Circle Opening)	10.00
Quarter Circle Sash (Square Opening)	11.65
Over 3-0 1/2 wide, for each 1-0 add	2.00
For Skylight or Monitor Sash for lapped glass, figure as odd sash, and add	33 1/3%
For Odd Sash over 3-6 x 4-0 or 4-0 x 3-6, add to open basis	25%

Add to one light list, open as follows:

For Stiles and Top Rail over 2 1/4" face. For each 1/4"	10%
For Bottom Rails over 3" face. For each 1/2"	5%
For Check Rails heavier than 1 3/8" to 1 3/4"	15%
For Check Rails heavier than 1 3/4"	25%
For Water Drip on Bottom Rail, add	\$1.40
For Water Drip on Bottom Rail, plowed, add	2.00
For Wood Beads, up to 28 united inches	.40
For Wood Beads, up to 54 united inches	.60
For Wood Beads, up to 100 united inches	1.20

SPECIAL LIST EXTRAS

Panel and Sash Door Extras—

Standard Arrangement of Raised Panel Doors

	Per Square Foot—15' Min.		
	1 3/8"	1 3/4"	2 1/4"
WPP Panel or Sash Doors, solid or flat panels	\$1.60	\$2.00	\$5.40
WPP Rim Doors	1.28	1.50	4.32
Oak, Birch, Red Gum Panel or Sash Doors	2.00	2.40	
Oak, Birch, Red Gum Rim Doors	1.80	2.20	

(Simple designs only. For elaborate designs, ask for quotation)

Plus Following Extras:

Divided Lights—Rectangular, WPP	1.05	1.25
Marginal, WPP	1.25	1.50
Vertical, WPP	1.40	1.60
Rectangular, Hardwood	1.80
Marginal, Hardwood	2.40
Vertical, Hardwood	2.60
12" Bottom Rail, WPP	.64	1.00
18" Bottom Rail, WPP	1.80	2.80
12" Bottom Rail, Hardwood	.36	.36
18" Bottom Rail, Hardwood	.64	.68

CHARGES FOR RE*WORKING STOCK DOORS

W.P.P.

Remove panels (each panel) to make 1 lt. with stops.....	\$2.60
cut up lts in doors: sq. lts. 1-3/8 with stops	1.25
" " 1-3/4.....	1.45
Vert. lts. part panel Drs. 1-3/8 Stops.....	1.60
Vert. lts. 1 long lt drs. " ".....	2.80
Vert. lts. part panel drs. 1-3/4 " ".....	1.85
Vert. lts. 1 long lt drs. " ".....	3.25
Marginal lts. 1-3/8 with stops.....	1.60
" " 1-3/4 " ".....	1.85
Cutting down stock doors in width: 1 panel doors	5.25
2 " " ".....	6.65
X panel or No. 537	12.25
Rip & joint stiles	1.40
Cutting down stock doors in height: 1 Panel Doors.....	5.25
2 " " ".....	5.35
4 " " ".....	7.00
Rip top or bottom rail	
all doors50
Rabbeting stock doors — per pr.	2.60
Raise Bottom Rail on Combination Doors.....	6.00
Cut for Dutch Door with Rabbet	8.00

GLAZING SPECIAL WINDOWS & SASH AND DOORS

Not Bedded

Bedded


One Light Sash	\$.36	\$.72
Two-Light Windows or Storm Sash64	1.08

REWORKING FLUSH DOORS

For V— Grooving, Per Groove— One side — Add	\$.53
For cutting half circle, segment or peak top Add.....	5.25
For cutting glass opening, (Rectangular) Per lt. Add	5.70
For Cutting One Diamond Light " ".....	6.45
For Cutting Circle top or Segment light " ".....	17.40
" " Full circle light " ".....	21.75
For divided lights (rectangular) Per lt.....	1.62
Cut in height	7.00
Cut in width	9.35

The Panel Door for

MODERN CONSTRUCTION AND DESIGN



NO - 433

FOR THOSE WHO PREFER SOMETHING
REFRESHINGLY NEW AND DIFFERENT—
RATHER THAN THE CONVENTIONAL
AND MORE COMMONPLACE IN DOOR DESIGN

White Pine throughout. Stiles and rails may be solid or veneered (our option). Panels $\frac{1}{4}$ " three-ply. Insert panel frames doweled and coped at corners (not mitered).

Stock Interior

NO. 433

1 - 6 x 6 - 8	1 3/8"	\$16.92
1 - 8 x 6 - 8	"	17.64
2 - 0 x 6 - 8	"	17.64
2 - 4 x 6 - 8	"	19.32
2 - 6 x 6 - 8	"	20.04
2 - 8 x 6 - 8	"	20.88
3 - 0 x 6 - 8	"	23.73

Stiles and top rail $4\frac{1}{4}$ " face.

Bottom rail $7\frac{5}{8}$ " face.

Intermediate rails $3\frac{7}{8}$ " face.

Panels are of uniform height in each door.



The doors are White Pine throughout for staining, natural finish, or painting. The insert panel construction makes the design particularly adaptable for painting in a combination of two or three harmonious color arrangements. This modern blending of door colors into surrounding wall colors adds smartness and distinction.

SHORT DOORS

We can cut off one or more panels and rails of Five Cross Doors to make the sizes as shown.


In case odd sizes are required, it will save you time and expense to be guided by this list.

Five Cross Panel	Cut to Four Cross Panel	Cut to Three Cross Panel
6-0	4-11 $\frac{1}{4}$	3-10 $\frac{3}{4}$
6-6	5-3 $\frac{7}{8}$	4-2 $\frac{1}{4}$
6-8	5-5 $\frac{5}{8}$	4-3 $\frac{1}{2}$
7-0	5-8 $\frac{7}{8}$	4-5 $\frac{7}{8}$




Ovolo "A"
Solid
Sticking
Two Sides

POPULAR PATTERNS OF INTERIOR DOORS



N.D. 100
ONE PANEL




N.D. 102
TWO PANEL



N.D. 106
FOUR PANEL



N.D. 108
SIX PANEL
COLONIAL



N.D. 107
CROSS PANEL

W.P. Pine Stiles and Rails Fir Panels

W.P. Pine Stiles and Rails Raised Panels

Sizes	ND 100	ND 102	ND 106	ND 108	ND 107
2-0 x 6-0 1-3/8"	\$---	\$14.25	\$---	\$16.70	\$15.30
2-4 "	---	15.90	---	---	---
2-6 "	---	16.45	---	---	---
2-0 x 6-6 "	---	13.95	---	17.20	16.10
2-4 "	---	15.30	---	18.50	17.70
2-6 "	---	16.10	---	19.45	18.45
1-6 x 6-8 "	---	14.45	---	16.90	---
1-8 "	---	15.25	---	17.60	---
2-0 "	14.19	14.10	16.35	17.60	16.30
2-2 x 6-8 "	---	15.70	---	---	---
2-4 "	15.70	15.70	18.15	19.32	17.95
2-6 "	16.38	16.40	18.90	20.00	18.75
2-8 "	17.15	17.10	19.70	20.85	19.55
3-0 "	19.70	19.70	21.40	22.40	21.25
2-6 x 7-0 "	---	18.95	---	---	21.60
2-8 "	---	19.70	---	---	22.60
3-0 "	---	21.35	---	---	23.60
2-6 x 6-8 1-3/4"	---	23.85	---	---	27.20
2-8 "	---	25.00	---	---	28.60
3-0 "	---	26.90	---	---	30.80
2-6 x 7-0 "	---	25.70	---	---	30.00
2-8 "	---	26.90	---	---	30.20
3-0 "	---	29.00	---	---	33.40
3-6 "	---	33.60	---	---	38.40
3-0 x 7-6 "	---	---	---	---	34.80

Layout 4-1/4" Face Stiles and Top Rail, 9-1/8" Face Bottom Rail.

ND 108 (6 Panel) Doors 1' 6" and 1' 8" Wide are made with Three Panels, One Panel Wide.

OVOLO "A" STICKING



Full-Length Door Mirrors

Mirrors are applied to the door after the order is received, and a reasonable time should be allowed to prepare for the mirror and glazing.

EXTRAS FOR 1/4" PLAIN PLATE MIRRORS APPLIED TO STOCK DOORS

For Plain Plate Mirrors Applied to Stock Doors, Add

	Flush and 2-Panel	All Doors with Raised Panels
2-0 x 6-6	\$24.30	\$27.30
2-4 x 6-6	27.18	30.20
2-6 x 6-6	29.52	32.50
2-0 x 6-8	24.30	27.30
2-2 x 6-8	27.18	30.18
2-4 x 6-8	27.18	30.18
2-6 x 6-8	29.59	32.52

INTERIOR FLUSH DOORS

SUPERIOR QUALITY


SOFTWOOD EDGE STRIPS
MODERATE COST

SANDED FACES

HOLLOW CORE

ENDURING BEAUTY

EASY TO INSTALL
BEAUTIFUL APPEARANCE

Sizes	1-3/8" Birch New Londoner	1-3/8" Mengel Oak Poplar Edges	1-3/8" Philippine Mahogany Fir Edges	1-3/8" Unsel. Gum Pine Edges For Paint	HOLLOW CORE
1-2 x 6-8	16.40	
1-4 x 6-8	16.40	10.29	
1-6 x 6-8	16.67	18.35	15.05	10.29	
1-8 x 6-8	17.45	18.65	11.62	
2-0 x 6-0	16.40	
2-0 x 6-6	17.20	
2-4 x 6-6	18.95	
2-6 x 6-6	19.89	
2-0 x 6-8	17.10	19.20	14.81	11.65	
2-2 x 6-8	18.40	
2-4 x 6-8	18.93	21.20	16.28	12.81	
2-6 x 6-8	19.70	22.05	17.73	12.81	
2-8 x 6-8	20.60	23.06	18.40	13.88	
2-0 x 7-0	20.80	
2-6 x 7-0	23.33	
2-8 x 7-0	24.24	
3-0 x 6-8	22.85	24.90	20.59	
3-0 x 7-0					


PLAIN FLUSH

Sizes	1-3/4" Rezo Birch Pine Edges	1-3/4" Oak Rezo-New Londoner Pine Edges	1-3/4" Mahogany Okoume
1-6 x 6-8	16.75
1-8 x 6-8	17.20
2-0 x 6-8	18.40	20.90	17.56
2-4 x 6-8	19.50	22.17	18.69
2-6 x 6-8	20.25	22.98	19.34
2-8 x 6-8	21.10	23.95	20.16
2-0 x 7-0	21.70	24.10
2-6 x 7-0	23.50	26.80
2-8 x 7-0	24.35	27.69
3-0 x 6-8	23.20	28.50	24.95
3-0 x 7-0	26.60	30.35	24.64
3-4 x 6-8	27.90
3-6 x 7-0	35.35

REZO

NEW LONDONER
FLUSH DOOR

EXTERIOR FLUSH DOORS



M-31
PLAIN 2-S

No. 1 SOLID PINE CORE	M-31
2-8 x 6-8 1-3/4	52.50
3-0 x 6-8 1-3/4	52.50
3-0 x 7-0 1-3/4	55.00

VERTICAL GRAIN Fir - SOLID CORE

2-8 x 6-8 1-3/4	37.15
2-8 x 7-0 1-3/4	37.35
3-0 x 6-8 1-3/4	37.75
3-0 x 7-0 1-3/4	39.40

SOLID CORE MAHOGANY - PHILLIPINE

3-0 x 6-8 1-3/4	40.00
-----------------	-------

SOLID CORE NATURAL BIRCH - THIN VENEERS

2-8 x 6-8 1-3/4	36.90
3-0 x 6-8 1-3/4	41.00
3-0 x 7-0 1-3/4	45.00

SPECIAL HEADS EXTRAS

CIRCLE HEAD.....	4.95
SEGMENT HEAD.....	4.95
TUDOR GOTHIC HEAD.....	4.95
TRUE GOTHIC HEAD.....	4.95
ADD. VEE GROOVES.....	Ea. .53

NATURAL BIRCH - HOLLOW CORE - REZO


2-8 x 6-8 1-3/4	32.60
3-0 x 6-8 1-3/4	32.60
3-0 x 7-0 1-3/4	35.80

PLAIN RED OAK - HOLLOW CORE - REZO


2-8 x 6-8 1-3/4	36.00
3-0 x 6-8 1-3/4	36.00
3-0 x 7-0 1-3/4	39.40

EXTERIOR FLUSH DOORS
SOLID CORE FLUSH DOORS


PRICED PLAIN 2-SIDES "V" GROOVE EXTRA




M-748



M-53



M-45




M-52

	M-748	M-53	M-45	M-52
PINE				
2-8 x 6-8	60.00	54.50	62.25	57.50
3-0 x 6-8	62.50	57.00	65.70	58.90
3-0 x 7-0	64.50	58.00	66.90	60.00
VERTICAL GRAIN FIR				
2-8 x 6-8	55.00	49.50	58.00	47.00
3-0 x 6-8	56.25	51.00	59.50	48.00
3-0 x 7-0	57.00	53.00	61.25	50.50
MAHOGANY - PHILLIPINE				
3-0 x 6-8	58.00	53.00	61.45	55.00

EXTERIOR FLUSH DOORS


SOLID CORE FLUSH DOORS

HEAVY VENEER. CROSS BANDED. VENEERS RESIN BONDED




GLASS
SIZE
6 x 12

M-112



GLASS
SIZE
12 x 12

M-123



GLASS
SIZE
10 x 14

M-124

PINE

	M-112	M-123	M-124
2-8 x 6-8	55.75	55.75	55.75
3-0 x 6-8	58.75	58.75	58.75
3-0 x 7-0	60.00	60.00	60.00

VERTICAL GRAIN FIR


	M-112	M-123	M-124
2-8 x 6-8	52.15	52.15	52.15
3-0 x 6-8	52.35	52.35	52.35
3-0 x 7-0	54.20	54.20	54.20

MAHOGANY - PHILLIPINE

	M-112	M-123	M-124
3-0 x 6-8	55.00	55.00	55.00

EXTERIOR FLUSH DOORS

HOLLOW CORE DOOR



GLASS BEDDED IN PUTTY
HARDWOOD EXTERIOR DOORS
with Birch Veneer Faces
AT THE PRICE OF SOFTWOOD

Design No. 45

2-8 x 6-8.....	\$45.00
3-0 x 6-8.....	47.50
3-0 x 7-0.....	49.60

Design No. 47

2-8 x 6-8.....	\$40.80
3-0 x 6-8.....	42.50
3-0 x 7-0.....	45.00

Square Head
Design No. 49

2-8 x 6-8.....	\$46.90
3-0 x 6-8.....	47.50
3-0 x 7-0.....	48.60

Design No. 51

2-8 x 6-8.....	\$39.50
3-0 x 6-8.....	41.00
3-0 x 7-0.....	43.75


Design No. 53

2-8 x 6-8.....	\$42.50
3-0 x 6-8.....	45.00
3-0 x 7-0.....	47.00

FOR ANY ABOVE
DESIGNS IN
PLAIN-RED OAK
ADD.....\$9.00

THE MODERN DOOR — MODERATE IN COST

FLUSH EXTERIOR DOORS



M-660

M-661

<u>SIZES</u>	<u>M-660</u> <u>W.P.PINE</u>	<u>M-660</u> <u>Fir</u>	<u>M-660</u> <u>Birch</u>
2-8 x 6-8	72.00	65.50	58.50
3-0 x 6-8	75.00	65.70	58.50
3-0 x 7-0	76.50	67.60	63.00

<u>SIZES</u>	<u>M-661</u> <u>W.P.PINE</u>	<u>M-661</u> <u>Fir</u>	<u>M-661</u> <u>Birch</u>
2-8 x 6-8	66.30	63.00	50.00
3-0 x 6-8	69.75	64.00	50.00
3-0 x 7-0	70.90	65.50	52.50


REZO

Flush

FRONT DOORS

Birch Hollow Core

FLUSH DOORS



M 745



M-747



M-748



M-749

Sizes	M-745	M-747	M-748	M-749
2-8 x 6-8 1 3/4"	51.00	52.00	44.65	47.50
3-0 x 6-8 "	51.00	54.90	47.50	47.50
3-0 x 7-0 "	54.00	57.00	49.60	49.50




PROTECTIVE METAL SADDLE ON EXTERIOR SASH DOOR

FRONT DOORS



National Quality


MAHONEY  MILLWORK

Birch Hollow Core

FLUSH DOORS



No. 4



No. 33



No. 63

NATURAL BIRCH

3-0 x 6-8 1 3/4"

No. 4

65.00

No. 33

98.00

No. 63

70.00

REZO

Flush

FRONT DOORS

CARRIED IN
STOCK
BIRCH ONLY

THE NEW ENTRANCE DOOR

Styled in the Modern Trend

The massive, symmetrical design pattern imparts character and distinction.

It may be finished in a variety of ways.

A beautiful door when painted in the conventional manner, using one solid color throughout. The insert frame—the heavy raised ornamented panels—deep shadow lines—all contribute to its gracious appearance.

For more striking effects and emphasis, a combination of several harmonious colors may be used to fine advantage. Here is a real opportunity for individuality in keeping with present day vogue.

May be appropriately used with any architectural style.

Specifications

All material White Pine.

10" stiles, cross banded and veneered. All rails solid.

Panel insert frames doweled and coped construction (not mitered).

Panels — 1" thick, raised both sides, three-ply construction.

Circular routing of panels on one side only. This permits hanging the door with the ornamented panels to either the outside or inside as desired.

Layout

Stiles and top rail ... 10"

Bottom Rail ... 12"

Intermediate Rails ... 5"

Available in two designs as illustrated and one size—

3'-0" x 6'-8" x 1 3/4"




NO - 72

NO - 72


SIZE	PRICE
3-0 x 6-8 1 3/4	\$43.75

NO - 72 - G

3-0 x 6-8 1 3/4	\$46.00
-----------------	---------



PROFILE AT WOOD PANEL



PROFILE AT GLASS PANEL



NO - 72 - G

VENTILATING SIDE LIGHT



DOOR FL72 SHOWN

Any Door May
Be Substituted



VENTILATING
SIDE LIGHT
UNIT FL70
1-3½" WIDE
OVERALL


FOR 6'-8" DOOR
HEIGHTS.

EACH UNIT IS
CARTON PACKED



EXTERIOR VIEW

INTERIOR VIEW



If Only One Side Light Unit is Used, the Stud Opening Width is 4'-6". Stud Opg. Widths are Based on 3'-0" Door Opgs.

Now you can add both distinction and utility to the entrance of your home. Simply install a ventilating side light unit at either or both sides of the door.

This will add immeasurably in appearance, but even more important—you eliminate the need of a screen door. Neither will a storm door be necessary—an efficiently weather-stripped entrance door is almost equally effective.

For ventilation or if you wish to improve air circulation in the summer time, simply open the screened ventilators instead of the door. It is no longer necessary to use your front door as a ventilating device, nor hide its beauty by hanging another door in front of it.

The side light ventilators serve another important function. They permit an unobstructed view to the outside, even if there is no glass panel in the door. This insures complete control against intrusion.

PRICE..... \$47.50

For Storm Sash.....ADD 3.90

Side light units FL70 as illustrated at the left are of symmetrical design so they may be attached to either or both sides of a standard 6'-8" high door frame.

Each unit is completely factory assembled. Hinges, locks, and weather strip are applied. Wood screen, wired with aluminum wire cloth is attached with rotary type fasteners. Storm sash (interchangeable with screen) available as an extra. One exterior mullion casing 1½" x 1½" is included.

NOTE—the outside head casing is not included. This should be ordered with the door frame so it will match the side casings as supplied.

All material is White Pine, Preservative treated. Ventilators are 1¾" thick, glazed SS. (Glass size 10" x 50"). All ventilators are hinged at the left as viewed from the inside—never in pairs. Jambs are 1½" x 5¼".

HARDWARE AND WEATHER STRIP

Hinges are friction type—plated steel, spray primed for paint finish. Locks—polished bright brass finish. Lock handles solid forged polished bright brass. Weather strip—white metal compression type. Heavy interlocking extruded aluminum member insures weather tightness at sill.

CARTON PACKED

Each complete unit as above described is carton packed with installation instructions.



Ovolo "A"
Sticking
with
Glass Bead

WHITE PINE EXTERIOR DOORS

No. 1 PINE



N. D. 536



N. D. 537



N. D. 538



N. D. 539

TOXIC TREATED WITH WOODLIFE

1 3/8" DOORS	N.D. 536 or 542		N.D. 537		N.D. 538		N.D. 539	
	OPEN	GLAZED	OPEN	GLAZED	OPEN	GLAZED	OPEN	GLAZED
2-6 x 6-0			17.20	19.25				
2-8 x 6-0			17.50	20.50				
2-6 x 6-6			17.20	19.50				
2-4 x 6-8			17.40	20.00				
2-6 x 6-8	19.20	22.23	17.40	20.00	18.48	22.35	19.55	23.00
2-8 x 6-8	19.65	22.75	17.90	20.50	18.90	22.75	20.90	24.30
2-10 x 6-8			18.75	21.75				
3-0 x 6-8			18.75	21.75				
2-6 x 7-0			20.00	23.40				
2-8 x 7-0			20.25	23.50				
3-0 x 7-0			21.00	25.60				
DOORS 1 3/4" THICK								
2-6 x 6-8	26.00	28.90	23.75	26.30	28.30	31.40	31.20	33.75
2-8 x 6-8	26.50	29.70	24.35	27.10	29.40	32.10	32.30	34.10
3-0 x 6-8	27.80	31.40	25.60	28.60	30.05	34.65	32.90	34.90
2-6 x 7-0			27.80	30.70				
2-8 x 7-0			27.80	30.70				
2-10 x 7-0			28.70	28.90				
3-0 x 7-0	34.20	35.90	29.00	33.50				
3-6 x 7-0			32.50	39.40				




N. D. 542




Ovolo "A"
Sticking
with
Glass Bead

W. P. PINE EXTERIOR DOORS



N. D. 514



N. D. 513



N. D. 515

Glass Sizes for 2-8 x 6-8 and 3-0 x 6-8

23 $\frac{1}{2}$ " x 36"
27 $\frac{1}{2}$ " x 36"

GLAZED S. S. B.

Layout Overall

Stiles and Top Rail.....	4 $\frac{3}{4}$ "
Intermediate Rail.....	4 $\frac{5}{8}$ "
Lock Rail.....	4 $\frac{5}{8}$ "
Bottom Rail.....	9 $\frac{5}{8}$ "

Sizes	N.D. 514	N.D. 513	N.D. 515	N.D. 549
2-6 x 6-6 1-3/8"				19.60
2-6 x 6-8 "	19.50		21.80	20.60
2-8 x 6-8 "	20.00	21.70	21.90	21.10
3-0 x 6-8 "	21.90	23.50		22.60
2-6 x 7-0 "				23.40
2-8 x 7-0 "				23.80
3-0 x 7-0 "				25.40
2-6 x 6-8 1-3/4"	25.50	26.90	28.30	26.70
2-8 x 6-8 "	26.40	28.60	28.90	27.80
3-0 x 6-8 "	28.60	33.80	34.75	27.90
3-0 x 7-0 "	32.90	35.70		32.60




N. D. 549

TOXIC TREATED WITH WOODLIFE

EXTERIOR DOORS—No. 1 PINE


TOXIC TREATED WITH WOODLIFE



N. D. 500




N. D. 502




N. D. 506



N. D. 561



N. D. 562



N. D. 563

Sizes


	N.D. 500	N.D. 502	N.D. 506	N.D. 561	N.D. 562	N.D. 563
2-6 x 6-8 1 3/8"				23.10		21.40
2-8 x 6-8 "				23.60		21.85
2-6 x 6-8 1 3/4"				30.10		28.00
2-8 x 6-8 "	30.00	36.25	34.50	30.80		28.70
3-0 x 6-8 "	32.40	38.25	37.00	32.10	33.70	30.10
3-0 x 7-0 "	37.60	42.90	41.90			



N. D. 591



N. D. 592



N. D. 594



N. D. 571



N. D. 600

EXTERIOR DOORS

CLEAR

PONDEROSA PINE

Toxic Treated


GLAZED S. S. B. — BEDDED IN PUTTY

Sizes	<u>N.D. 591</u>	<u>N.D. 592</u>	<u>N.D. 594</u>	<u>N.D. 571</u>	<u>N.D. 600</u>
2-8 x 6-8 1 3/8"	22.40	24.40	25.10		48.00
2-6 x 6-8 1 3/4"					49.00
2-8 x 6-8 "	29.50	32.25	34.10	33.10	
2-8 x 7-0 "	36.00	36.75	38.20 ✓		
2-10 x 7-0 "	36.25	37.50	38.85		
3-0 x 6-8 "	31.75	34.00	35.90 -	34.75	51.50
3-0 x 7-0 "	36.40	37.50	38.60		53.70




Ovolo "A"
Sticking
with
Glass Bead


W. P. PINE EXTERIOR DOORS



N. D. 608



N. D. 605




N. D. 609

GLAZED S. S. B. — BEDDED IN PUTTY

<u>Sizes</u>	<u>N.D. 608</u>	<u>N.D. 605</u>	<u>N.D. 609</u>	<u>N.D. 571</u>
2-6 x 6-8 1 3/4"				31.50
2-8 x 6-8 "				33.10
3-0 x 6-8 "	73.00	40.00	60.00	34.75
3-0 x 7-0 "	74.25			38.35

<u>Sizes</u>	<u>N.D. 571 Dutch Door</u>
2-6 x 6-8 1 3/4"	39.50
2-8 x 6-8 "	41.10
3-0 x 6-8 "	42.75



N. D. 571
DUTCH DOOR
No. 1 PINE

Treated With Water Repellent Rot Proofing Toxic



N. D. 606



N. D. 607



N. D. 612 DUTCH DOOR

Design	N.D. 606	N.D. 607	Dutch N.D. 612	N.D. 612
2-8 x 6-8 1 3/4"			65.00	57.50
3-0 x 6-8 "	53.50	61.00	67.00	58.00
3-0 x 7-0 "				65.00



Ovolo "A"
Sticking
with
Glass Bead

EXTERIOR DOORS

CLEAR PONDEROSA PINE

Treated With Water Repellent Rot Proofing Toxic

GLAZED S. S. B. — BEDDED IN PUTTY



N. D. 612

COLONIAL FRONT DOORS

NO. 1 W. P. PINE



N. D. 110



N. D. 596



N. D. 112

GLAZED S. S. B. — BEDDED IN PUTTY


Design	N.D. 110	N.D. 596	N.D. 112	N.D. 598
2-8 x 6-8 1 3/4"	34.00	35.90		37.50
3-0 x 6-8 "	36.00	37.75	36.60	39.50
3-0 x 7-0 "	37.50	39.50		43.50




Treated With Water Repellent Rot Proofing Toxic




N. D. 598



N. D. 635



N. D. 642



N. D. 644

W. P. PINE EXTERIOR DOORS

TOXIC TREATED WITH WOODLIFE

Sizes	N.D. 635 Open	N.D. 635 D.S.	N.D. 635 Plain Plate
2-8 x 6-8 1 3/4"	25.00	32.25	44.35
3-0 x 6-8 "	26.00	34.50	49.00
2-8 x 7-0 "	28.75	37.75	50.70
3-0 x 7-0 "	29.80	39.35	55.80
3-0 x 7-6 "	32.50	44.90	64.00
3-6 x 7-0 "	34.70	46.00	65.70
3-0 x 7-0 2 1/4"			78.00
3-6 x 7-0 "			84.00



N. D. 638

Sizes	N.D. 642 D.S.	N.D. 644 D.S.	N.D. 638 D.S.
2-8 x 6-8 1 3/8"			28.50
2-8 x 6-8 1 3/4"	37.00	31.00	36.40
3-0 x 6-8 "	38.85	33.00	38.00
3-0 x 7-0 "	43.00	35.50	43.00

TERRACE AND FRENCH DOORS

OVOLO "A" STICKING.


WHITE PINE



No. 625



N. D. 627



N. D. 630

Layout 4-1/4" Face Stiles and Top Rail, 11" Face Bottom Rail.

PRICE PER DOOR, NO. 1 W.P.PINE. GLAZED SSB


	ND625		ND627		ND630	
	<u>1-3/8"</u>	<u>1-3/4"</u>	<u>1-3/8"</u>	<u>1-3/4"</u>	<u>1-3/8"</u>	<u>1-3/4"</u>
2-0 x 6-8.....	\$21.50	\$27.60	\$24.70
2-0 x 7-0.....	23.10	30.40
2-6 x 6-8.....	22.90	29.20	26.25	32.00	27.00
2-6 x 7-0.....	24.50	28.70	34.00
2-8 x 6-8.....	23.00	29.40	26.30	33.60	27.40
2-8 x 7-0.....	30.60	28.40
3-0 x 6-8.....	26.90	34.50	28.50
3-0 x 7-0.....	33.00	37.00

COMBINATION SCREEN AND STORM DOORS
W. P. PINE NOT PAINTED. 1 1/8" THICK. SCREEN INSERTS FLUSH MOULDED. ROLLED-IN WIRE

ND737

ND756

<u>Sizes</u>	<u>Glazed and Galv Wire</u>	<u>Glazed and Aluminum Wire</u>	<u>Glazed and Galv Wire</u>	<u>Glazed and Aluminum Wire</u>
2-6 x 6-0	\$22.60	\$24.33		
2-8 x 6-0	23.55	25.25		
2-6 x 6-6	22.62	24.33		
2-8 x 6-6	23.55	25.29	\$22.70	\$24.42
2-0 x 6-8	22.80	24.54		
2-4 x 6-8	22.80	24.54		
2-6 x 6-8	21.15	22.65	21.15	22.65
2-8 x 6-8	21.60	23.14	21.60	23.14
2-10 x 6-8	24.50	26.25		
3-0 x 6-8	22.80	24.40	22.80	24.40
2-0 x 7-0	24.80	26.55		
2-6 x 7-0	24.80	26.55		
2-8 x 7-0	25.39	27.30	25.39	27.30
2-10 x 7-0	26.15	27.90	22.15	27.90
3-0 x 7-0	26.78	28.53	26.78	28.53
3-0 x 7-6		34.71		
3-6 x 7-0		35.31		


CIRCLE TOP COMBINATION DOOR
1 1/8" Thick W. P. P.


3-0 x 6-8.....	\$64.00
3-0 x 7-0.....	\$64.00

With Bronze or Aluminum Screen Only.

Colonial Stairwork **BIRCH AND RED OAK** Colonial Stairwork

COLONIAL STARTING STEPS

ALL PARTS
REVERSIBLE



C-8010 COLONIAL BULL NOSE
ALL PARTS REVERSIBLE

No. 8010 Colonial Bullnose Starting Step

4'-0"

Tread - $1 \frac{1}{16} \times 11 \frac{1}{4}$ " - Oak only.....\$22.75

Riser - $\frac{3}{4} \times 6 \frac{5}{8}$ " Birch

Riser Over-all $7 \frac{3}{4}$ "

STANDARD STARTING STEPS



C-8030

HALF CIRCLE 1 END

ALL PARTS MADE REVERSIBLE

C-8030-Starting Step used with Box Newels
Not adaptable to Colonial Stairs


No. 8030 Half Circle 1 End

4'-0"

Tread - $1 \frac{1}{16} \times 11 \frac{1}{4}$ " - Oak only.....\$24.70

Riser - $\frac{3}{4} \times 6 \frac{5}{8}$ " Poplar

Plain Treads - Risers - Miscellaneous Parts




C-8070
PLAIN TREAD
 $1 \frac{1}{8}$ "



C-8075
RISER
 $\frac{3}{4}$ "



C-8080
NOSING
 $1 \frac{1}{8} \times 1 \frac{1}{8}$ "



C-8090
LANDING TREAD
 $1 \frac{1}{8} \times 3 \frac{1}{2}$ "

STAIR TREADS Red Oak

$1 - \frac{1}{16} \times 10 - \frac{1}{2} - 3 - 0$	\$ 3.33	$\frac{3}{4} \times 7 - \frac{1}{2} - 3 - 0$	\$ 1.80
3-6.....	3.78		
$1 - \frac{1}{16} \times 11 - \frac{1}{2} - 3 - 6$	4.17	4-0.....	2.35
4-0.....	4.77		

RISERS

NOSINGS, OAK. Rab't. 52/32 Flooring

$1 \frac{1}{8} \times 3 \frac{1}{2} \times 3 - 0$	\$1.13
$1 \frac{1}{8} \times 3 \frac{1}{2} \times 3 - 6$	1.29
$1 \frac{1}{8} \times 3 \frac{1}{2} \times 4 - 0$	1.50
Lineal Oak Nosing.....	\$.38 per Lineal Ft.

Colonial Stairwork **BIRCH AND RED OAK** *Colonial Stairwork*
Colonial Stair Balusters
COLONIAL BALUSTERS
C-5015, C-5025 and C-5040
Birch or Oak

2-7.....	per 100,	\$75.00
2-10.....	per 100,	84.00
3-0.....	per 100,	87.00
3-3.....	per 100,	96.00
3-5.....	per 100,	105.00

Stock size 1 1/4" x 1 1/4" on all patterns
excepting C-5040 - 1 1/8" full round.



C-5015

C-5025

C-5040

**C-4010
STARTING
NEWEL**
**3 1/4 x 3 1/4 x 3-5
\$7.47**
Oak or Birch

**C-4030
STARTING
NEWEL**
**3 1/4 x 3 1/4 x 3-5
\$7.47**

**C-4040
STARTING
NEWEL**
**3 x 3 x 3-8
\$8.01**

**C-4050
STARTING
NEWEL**
**2 1/4 x 2 1/4 x 3-5
\$4.71**

**C-4035
LANDING
NEWEL**
**3 1/4 x 3 1/4 x 4-10
\$10.89**

**C-4045
LANDING
NEWEL**
**3 x 3 x 5-2
\$10.89**

**C-6010
2 1/4 x 2 3/8"**

6035
(SUGGESTIONS)

C-4010 and C-4030 newels for use with C-7010 starting easing

C-4040 newels for use with straight piece of rail or up easing
C-7012


C-4050 newels are to be used with volutes C-7030 and C-7035
only

**COLONIAL STAIR RAIL
AND WALL RAIL**
Birch or Oak
C-6010.....per 100 ft., \$87.00
Birch or Oak
C-6040.....per 100 ft., \$51.00
Yellow Pine
C-6040.....per 100 ft., \$40.00

Colonial Stairwork **BIRCH AND RED OAK** *Colonial Stairwork*



C-7035
RIGHT HAND VOLUTE
\$18.27



RIGHT HAND
C-7035 VOLUTE



C-7030
LEFT HAND VOLUTE
\$18.27



C-7045
RIGHT HAND TURNOUT
\$11.85



RIGHT HAND
C-7045 TURNOUT




C-7040
LEFT HAND TURNOUT
\$11.85



C-7010
STARTING EASING
\$8.10



STARTING EASING
C-7010




C-7098 1 Riser
Without Cap, for One Riser
\$8.88



C-7019
1 OPENING CAP
\$3.57



C-7018
PLAIN CAP
\$3.21



C-7017
WALL
ROSETTE
\$0.84



C-7011
QUARTERTURN
\$5.58



C-7013
OVERHAND
\$6.12

ALL ITEMS ARE CARTONED PACKED.

MAHONEY MILLWORK

OUTSIDE BLINDS AND SHUTTERS

NO. 1 W. P. PINE—1 $\frac{1}{8}$ " THICK—ROT-PROOFED

Stationary Slats

All Blinds made 1" longer than regular window openings to allow for drop in sill.

OUTSIDE BLINDS FOR 2 LIGHT WINDOWS IN PAIRS



WINDOW BLINDS

No - 50



DOOR BLINDS

No - 60

<u>Opening Size of Pair</u>	<u>Sizes of Glass</u>	<u>List Per Pair</u>
* 2-4 x 2-7	* 24 x 12	\$10.45
2-4 x 2-11	24 x 14	10.45
2-4 x 3-3	24 x 16	10.45
2-4 x 3-7	24 x 18	10.45
2-4 x 3-11	24 x 20	10.45
2-4 x 4-3	24 x 22	12.00
2-4 x 4-7	24 x 24	12.00
2-4 x 4-11	24 x 26	13.10
2-4 x 5-3	24 x 28	13.50
2-4 x 5-7	24 x 30	14.70
2-8 x 5-3	* can be used for 28 x 28	13.50
2-10 x 3-3	24 x 24	10.45
2-10 x 3-7	1 - Light 30 x 16	10.45
2-10 x 3-11	30 x 18	10.45
2-10 x 4-3	30 x 20	10.45
2-10 x 4-7	30 x 22	12.00
2-10 x 4-11	30 x 24	12.00
2-10 x 5-3	30 x 26	13.10
2-10 x 5-7	30 x 28	13.50
3-0 x 3-11	30 x 30	14.70
3-0 x 4-7	32 x 20	12.55
3-4 x 4-7	32 x 24	12.55
3-4 x 5-7	36 x 24	13.10
3-8 x 4-7	36 x 30	15.75
3-8 x 5-7	40 x 24	13.45
3-8 x 5-7	40 x 30	16.50
3-8 x 5-7	40 x 24/36	16.50

DOOR BLINDS IN PAIRS

Each blind 1 Panel wide, 2 Slat panels high.


<u>Size of Pair</u>	<u>List per Pair</u>
3-0 x 6-8	\$20.75

Rot-proofed with a Toxic Water-Repellent Solution

**WE CARRY A COMPLETE
STOCK FOR PROMPT
DELIVERY AT ALL TIMES**

W. P. PINE — No. 1 QUALITY DOOR BLINDS - LOUVRE DOORS

Stationary Slats



DOOR BLINDS
No - 70
No. 1 W. P. PINE

No. 70

<u>Size of Door</u>	<u>Price</u>
* 1-6 x 6-8 1-3/8"	17.75
* 1-8 x 6-8 "	17.75
2-0 x 6-8 "	18.75
2-4 x 6-8 "	18.75
2-6 x 6-8 "	18.75
2-8 x 6-8 "	18.75
3-0 x 6-8 "	19.50

Bottom of Door to top of Cross Rail
30

* - Can Use As Pairs

3-0 x 6-8
3-4 x 6-8

Stationary and Panel



No - 80
PAIRS DOOR BLINDS

No. 80

<u>Size of Pair</u>	<u>Price</u>
2-6 x 6-8 1-1/8"	27.50
2-8 x 6-8 "	27.50
3-0 x 6-8 "	28.00

FOR OUTSIDE USE OR INSIDE IF DESIRED


These well designed Door Blinds are substantially built for outside use but may also be used inside the home in pairs or as a pair of doors between two rooms. They are very decorative however used.

TOXIC TREATED WITH WOODLIFE

MAHONEY MILLWORK


DOUGLAS FIR ENTRANCE DOORS

Beautiful Durable
DOUGLAS FIR DOORS



No. 2045

<u>Size</u>	<u>Design No. 2045</u>
3-0 x 6-8.....	\$ 48.00
<u>Size</u>	<u>Design No. 2050</u>
3-0 x 6-8.....	\$ 45.00



No. 2050

White Pine And Douglas Fir Garage Doors



PATTERN NO. 663
GARAGE DOOR

Solid Raised Vertical Grain Panels

<u>Size of Pair</u>	<u>Glazed</u>
4-0 x 7-0 1-3/4.....	\$61.00
4-0 x 7-6 " 	62.00
4-0 x 8-0 " 	64.50

"UNI-ROL" OVERHEAD GARAGE DOOR

(Trade Mark)

COMPLETE WITH "SWING-UP" HARDWARE

SIMPLE

* EFFICIENT *

ECONOMICAL



Size 8-0 x 7-0 1-3/8"

Price..... \$75.40

Size 9-0 x 7-0 1-3/8"

Price..... \$84.00

HARDWARE

Hardware is Swing-Up type especially designed for "UNI-ROL." Made of wrought steel, japan finish. **Rollers are ball bearing.** Includes two-way locking device with bronze rim cylinder and all necessary screws and bolts to complete the installation.

Steel weather strip is furnished for sides to be applied inside to both door and jambs. Weather strip has projecting lugs for proper spacing, making application extremely easy. Weather strip is drilled for locating roller and spring brackets so that no measurements are necessary to apply hardware. A wood stop (not included) is required at head only.

The "UNI-ROL" is a triumph in garage door engineering. Its simplicity, sturdy construction, and quiet, smooth, efficient operation are amazing.

Door automatically swings up and over, powered by two strong springs, and rests overhead **completely inside the garage, out of the weather.**

Women drivers particularly will appreciate the perfect balance and finger touch control of this door.

Car can be parked within a few inches of door, thus making full garage space usable.

INSTALLATION

The "UNI-ROL" requires a minimum of only 1 3/4" head-room and 2 1/2" sideroom. Hardware is packaged with complete instructions for application in each package. The extreme simplicity of applying all parts reduces installation time to a minimum.

Openings higher than 7' 0" are easily fitted with stock size doors by framing down to 7' 0" and filling space above door with a panel board or sash transom.

LOCK



INTERIOR

The locking device is a special design of high-grade construction. Made of wrought steel, cadmium plated. Lever handle operates a spring catch on each edge of door. Night latch can be operated without key from inside the garage.



EXTERIOR

A standard **bronze rim cylinder** for securely locking the mechanism from outside is included. Two keys furnished.



When open, the UNI-ROL door is out of the way, completely inside of the garage.

OVERHEAD GARAGE DOOR

Complete with Hardware
4 Section Door



"FARLO-ROL"

Complete with "Roll-Up" Hardware

Price Each

8-0 x 7-0 1 3/8 Glazed.....\$ 98.00

9-0 x 7-0 1 3/8 Glazed.....\$110.00

"Farlo-Rol" requires a minimum head-room clearance of 9 1/2" and must be maintained for a depth of 9' 1 3/4". Side room 4" minimum.

DOOR CONSTRUCTION

The "FARLO-ROL" is made with 1 3/8" thick W. P. Pine stiles and rails of substantial width, assembled with giant dowels. Panels are 3-ply laminated. Glass is SSB set with wood stops. Sections are trimmed to exact size and rabbeted together. NO FITTING NECESSARY. The entire door is Toxic Treated (Rot-proofed) after assembling. Two designs available.


HARDWARE

Hardware is a roll-up type with two tension spring balancing units. Door hardware is heavy wrought steel with the exception of the rollers which are of special material to give quiet and longer lasting service. Metal ceiling strap hangers are furnished for suspending horizontal track. Equipped with a two-way locking device with bronze rim cylinder and all necessary screws and bolts to complete the installation.

EASY TO INSTALL

Shipped pre-fit for openings 8'-0" x 7' x 0". Hardware is packed with complete instructions for application in each package. Headroom: 9 1/2" minimum clearance above door, must be maintained for a depth of 9'-1 3/4". Side room 4" minimum, 8" required for mullions.

E-Z-UP OVERHEAD GARAGE DOOR UNITS
DOORS FACTORY-FITTED • GLAZED • COMPLETE WITH HARDWARE



8-0 x 7-0 Opening
E-Z-UP-58

..... \$72.90

Doors — GLAZED — Drilled for operating hardware.



POWER SPRING



LOCK HANDLE



LATCH RELEASE



HANGER ROLLER



LATCH

The Mt. VERNON




SPECIFICATIONS

Mt. Vernon Mantels are made of Ponderosa Pine and available in two patterns — Face and Return. Dimensions are as follows:

FACE PATTERN		RETURN PATTERN	
Width of Shelf	6½"	Width of Shelf	11"
Length of Shelf	6'-5"	Length of Shelf	6'-5"
Width of Body	5'-7¾"	Width of Body	5'-7¾"
Height	4'-5"	Height	4'-5"
Wood Opening	4'-2" x 3'-1"	Wood Opening	4'-2" x 3'-1"
		Return from Face of Mantel	5½"

These mantels come set up as far as practicable.
Carton Packed.



DIMENSION DIAGRAM OF MT. VERNON MANTEL



RETURN
MANTEL

A Word to The Carpenter

You will find the installation of Mt. Vernon Mantels a quite simple matter. These mantels are delivered as completely set up as is practicable and by following the dimensions given above no difficulty will be encountered.

These Mantels are Carton Packed —one complete Mantel to carton.

The complete dimensions of the vital parts are given above. On the return design (at left) the return from face of Mantel is 5½".

MOUNT VERNON

LIST


FACE PATTERN.....	\$37.10
RETURN PATTERN.....	\$51.15

Carton Packed
(Ponderosa Pine)

The "8 in 1" MANTEL — Choice of 8 or more Designs — NO EXTRA COST

AT LEFT

Thrif-T "8 in 1" is at home with any style of architecture.





The return from face of Mantel is 5 1/2".

Thrif-T "8 in 1" Mantel in Return Pattern

* Here's how you select your preference of 8 (or more) notable designs:

An attractive moulding, included in the shipment, may be applied in 4 or more ways as shown at upper right — the Pilasters may be turned with plain side out. EASY? — 8 or more charming designs to suit your preference.



A few of the possible "8 in 1" designs are shown above*



This is an end view of the Thrif-T "8 in 1" shelf. It is graceful and blends perfectly with balance of this well designed Mantel.

A WORD to the CARPENTER

You will find the installation of "8 in 1" Mantels a quite simple matter. These mantels are delivered as completely set up as is practicable and, by following the dimensions given above, no difficulty will be encountered. The complete dimensions of the vital parts are given on back of this page. On the return design (at left) the return from face of mantel is 5 1/2".


Thrif-T "8 in 1" Mantel in Face Pattern.

8-- IN - 1 MANTEL

Face Pattern \$29.60

Return Pattern \$46.10

CARTON PACKED
PONDERSOA - PINE



DIMENSIONS

Shelf Width (Face) 7"
Shelf Width (Rtn) 11 1/4"
Shelf Length — 6'-1 1/2"
Width of Body — 5'-4 1/2"
Height — 4'-2 1/2"
Wood Opening — 4'-1 1/2" x 3'-1 1/2"
On Return Pattern the return from face of Mantel is 5 1/2"



"4 in 1" ENTRANCE FRAME

*An Attractively Priced Entrance
Frame that Offers Choice of
FOUR HANDSOME DESIGNS
SEEN and CHOSEN on the JOB*

MEASUREMENTS

(for 3'-0" x 6'-8" Door)
Overall Width at Cap 4'-6 $\frac{1}{4}$ "
Overall Width at Side Casing 4'-5 $\frac{3}{4}$ "
Overall Height 7'-10"
Side and Head Jambs 5 $\frac{1}{4}$ " wide

**ALL PONDEROSA PINE PARTS
TOXIC TREATED
For Long Service Life**

Carried in stock in
the following sizes.

<u>Widths</u>	<u>Height 6-8</u>
2-8	38.35
3-0	38.35



Cap 1 $\frac{5}{8}$ x 4 $\frac{1}{8}$
Crown Mold $\frac{3}{4}$ x 2
Head Casing 1 $\frac{1}{8}$ x 9 $\frac{1}{2}$
Head and Side Jambs 1 $\frac{1}{8}$ x 5 $\frac{1}{4}$
Side Casing 1 $\frac{1}{8}$ x 6 $\frac{3}{8}$
Base Blocks 1 $\frac{1}{2}$ x 9 $\frac{5}{8}$
Sill 1 $\frac{5}{8}$ x 7 $\frac{1}{4}$

Scallops—Bead—and Rosettes are of proper size
for design chosen.

RABBETED FOR 1 $\frac{3}{4}$ THICK DOORS

Head comes set up—balance K. D.
Head, Sill and Blocks carton packed,
balance tied in bundles.
Frame made of Western Ponderosa Pine.

AT RIGHT and BELOW: This shows the simple, traditionally approved door frame construction of "4 in 1". A lot of architectural beauty (choice of four designs right on the job) at a nominal increase over the cost of a conventional door frame. This Entrance Frame is adaptable for frame wall construction only.




FOR FRAME
WALL ONLY

"Ten in 1" Entrance Frame

This Frame may be installed with any of **TEN** excellent variations of design. Each "10 in 1" Frame is furnished complete including 1 Scalloped Strip, 2 Diagonal Blocks, 2 Rosettes, 1 Band Mould and Reversible Pilasters.

The "10 in 1" Head may be left plain or ornamented in either of **FIVE** ways as shown. Note that the five illustrations show Fluted Pilasters. **FIVE** more variations are available to satisfy your design preference by **REVERSING** the Pilasters and applying them with the Plain Side out. This valuable **INDIVIDUAL ADAPTATION** of design may be made **ON THE JOB** where you personally can **SEE** and **CHOOSE** the entrance combination you prefer.



Extension Jambs are required for brick veneer or masonry construction in order to adapt the frame to the proper wall thickness (see illustration above). Extension Jambs are also required on frame walls using studs wider than the standard 2 x 4.

Reversible Pilasters are another important feature. They may be applied with either fluted or plain side exposed according to owner's wishes. Thus, each of the five illustrated design combinations may be changed by reversing the pilasters.

Carried in stock in
the following sizes.

Widths	Frame Wall Height 6-8
2-8	48.00
3-0	48.00

TEN OUTSTANDING DESIGNS FROM WHICH TO CHOOSE

Adaptable to Any Type Wall
Brick Veneer—
Masonry—
Frame—

Head set up, balance K.D.—Head, Sill, Riser and Pilaster Caps and Blocks are carton packed, balance tied in bundles—Western Ponderosa Pine.

All Ponderosa Pine Parts treated for long service—Rabbeted for 1 $\frac{3}{4}$ " thick doors.

STANDARD WOOD MOULDING DESIGNS

STANDARD W. P. P. MOULDINGS



8570

GLASS BEAD

5/16 x 7/16.....	\$2.10
3/8 x 9/16.....	2.50
3/8 x 11/16.....	2.61



8422

SHOE MOULD

1/2 x 3/4

\$3.36



7/16 x 3/4

7177

7/16 x 1/2

7178

GLASS STOPS

7/16 x 1/2.....	\$2.52
7/16 x 3/4.....	2.84



8095

O. G. STOP

1/2 x 1 5/8

\$5.99



8610



8611

SCREEN BEAD

8610... 1/4 x 5/8.....	\$2.10
8611... 1/4 x 5/8.....	2.10



8096

O. G. STOP

1/2 x 1 3/8

\$5.10



8065

QUARTER ROUND

8063-1/2 x 1/2.....	\$2.78
8064-5/8 x 5/8.....	3.75
8065-3/4 x 3/4.....	4.00



8541

STOP

1/2 x 1 3/8


\$5.10



8076

SCREEN BEAD

5/16 x 5/8..... \$2.10



8542

STOP

1/2 x 1 5/8

\$5.99



8060

COVE

3/4 x 3/4

\$4.00



8430

BLIND STOP

3/4 x 1 3/8

\$7.52



8036

BED MOULD

3/4 x 1 1/4

\$6.90



8432

PARTING STOP

1/2 x 3/4

\$3.45



8046

BED MOULD

1 1/8 x 1 5/8

\$14.35



8614

SCREEN STOCK

3/4 x 1 5/8

\$9.00



8536

PANEL MOULD

3/8 x 1 1/2

\$5.35



8911

CLOSET POLE

ROUNDS

1 1/16


HARDWOOD

\$12.75


ALL
MOULDINGS
6' LENGTHS
AND OVER

STANDARD WOOD MOULDING DESIGNS


STANDARD W. P. P. MOULDINGS




MOULDED
CASING
3/4 x 2 1/2
\$12.75




STOOL
3/4 x 3 1/4
\$18.75



RAFTER MOULD
3/4 x 1 5/8
\$8.70



O. G. BASE
5/8 x 3 1/2
\$17.25



RAFTER MOULD
3/4 x 2 1/2
\$12.75



DRIP CAP
1 1/8 x 1 5/8
\$14.35

ALL
MOULDINGS
6" LENGTHS
AND OVER



BED MOULD
3/4 x 1 3/4
\$9.20



DRIP CAP
1 1/8 x 2
\$18.75




CROWN MOULD
3/4 x 3 5/8
\$20.75




DRIP CAP
1 1/8 x 2 1/2
\$19.15



CROWN MOULD
3/4 x 2 3/4
\$16.00




BRICK MOULD
1 3/8 x 2
\$21.50



CROWN MOULD
3/4 x 4 5/8
\$25.00


INSIDE DOOR JAMBS

2-0 x 6-8	3/4 x 5 1/4	No Stop	5.75
2-4 x 6-8	3/4 x 5 1/4	No Stop	5.80
2-6 x 6-8	3/4 x 5 1/4	No Stop	5.80
2-8 x 6-8	3/4 x 5 1/4	No Stop	5.90



Lattice

8281	5/16 x 1 3/8	4.30
8282	5/16 x 1 3/4	5.38




11/16 x 1 3/8
\$8.00

Ponderosa Pine Mouldings



—MODERN-STREAMLINED—

Priced Per 100 Lineal Feet



Casing _____ 11.55 _____



Apron _____ 11.55 _____




Stool _____ 14.75 _____




Stop _____ 4.95 _____

Base _____ 14.05 _____



Shoe _____ 3.33 _____

No. 807A Window Frames — Door Frames



TO FIT MODULAR
STANDARD WINDOW
OPENINGS


Size of Parts:

Pulley Stile	3/4 x 4-1/2
Blind Stop	3/4 x 1-1/4
Parting Stop	1/2 x 3/4
Casings	1-3/32 x 2-3/4
Drip Cap	1-1/8 x 1-5/8
Sill	1-5/8 x 7


Glass Sizes

Glass Sizes	CROSS Members	SIDE Members Plain Jamb
12"	\$3.18	\$4.50
14"	3.18	4.50
16"	3.18	4.60
18"	3.87	4.89
20"	4.00	5.60
24"	4.40	6.35
26"	4.80	6.65
28"	4.80	7.25
30"	5.60	7.60
32"	5.90	
36"	6.35	
40"	6.95	


Twin Frames, double price of single frames and add 1.20



No-807



ROW



ROW


EXTERIOR DOOR FRAMES

Clear Grade Oak Sills

Door Size	No-807	No-ROW
2 - 6 x 6 - 8	21.70	22.90
2 - 8 x 6 - 8	21.80	23.10
3 - 0 x 6 - 8	23.10	23.70

Brick Mould 1 3/8 x 2 and Drip Cap
1 3/8" or 1 3/4" Rabbet (Specify)

(Also Carried In Stock With Stops.)

RED CEDAR
WOOD LAMP POSTS


Lamps are not included.

5"x5"x8 ft.

5 x 5 x 8⁹.....\$13.50

BORED FOR ELECTRICAL CONDUIT


**RED CEDAR
CLOSET LINING**

IN STOCK



**PAPER
WRAPPED or
CARTON PACKED**

*Tongue & Grooved
and*



End Matched



100% OIL CONTENT

PROTECT YOUR CLOTHES

MOTH PROOF CLOSETS

$\frac{3}{8}$ "x2 $\frac{1}{2}$ ", per M ft. B. M.....\$280.00
40 feet per bundle

For face measure, add 20%

F.O.B. WAREHOUSE




No. 960-R
CORNER
CHINA CASE

Distinguished Design · Low Price

A Permanent Value at a LOW PRICE

- Overall size—2'-11" wide by 7'-4 1/2" high.
- Complete with one shelf for bottom section, three shelves for top section and with necessary shelf cleats and mould for scribing to wall. Shelves slightly oversize for scribing. No back furnished.
- Made of Ponderosa Pine in the white.
- Semi-assembled. Fronts put together. Doors fitted but not hinged. Upper door glazed.
- All hardware furnished, including door hinges, pulls and catches — separately packaged in carton with the case.
- CARTON PACKED to insure arrival in good condition.



CORNER-CUP BOARD -- NO. 960-R

LIST

PRICE.....\$48.35

*The Good Taste
of Early America at its Charming Best*



FULL FLOATING BALANCE EASY OPERATION—LONG LIFE



Balance Number	Glass Size Width	Glass Size Height	Max. Wts. Per Sash	Weights Per Set of 4 Balances	PRICE PER SET		
					Less than 100 Sets	100-199 Sets	Over 200 Sets
12	12 to 48	12"	16 lbs.	1 # 5 oz.	3.10	2.73	2.82
14	"	14	16 "	1 8	3.10	2.73	2.82
16	"	16	17 "	1 11	3.10	2.73	2.82
18	"	18	18 "	1 14	3.10	2.73	2.82
20	"	20	19 "	2 1	3.10	2.73	2.82
22	"	22	21 "	2 4	3.10	2.73	2.82
24	"	24	22 "	2 7	3.10	2.73	2.82
26	"	26	23 "	2 9	3.10	2.76	2.82
28	"	28	24 "	2 13	3.20	2.82	2.93
30	"	30	26 "	3 0	3.20	2.82	2.93
32	"	32	27 "	3 2	4.08	3.29	3.50
34	"	34	28 "	3 5	4.08	3.29	3.50
36	"	36	29 "	3 7	5.04	4.41	4.71

UNIQUE SASH BALANCES

Price Per Set of 4 Balances

No. 121 thru 303	3.15
No. 202/313 (Window Height 20/40)	3.15
No. 242/313 (Window Height 24/36)	3.15
No. 243/314 (Window Height 24/36)	3.15
No. 323	3.36

TYPE "D" BALANCES

DELIVERY FROM OUR WAREHOUSE

For Orders of 100 Sets or More, deduct 10%


1500 Sets or More, each order	42½%
500 to 1499 Sets, each order	40 %
250 to 499 Sets, each order	35 %
100 to 249 Sets, each order	33 %

Above Discounts apply to Manufacturer's List of \$2.75 for Sizes No. 101 thru 304.

QUANTITY ORDERS SHIPPED FROM FACTORY

F.O.B. Stamford, Conn. or Dubuque, Iowa





move sash from window and drill holes as described below.




Figure 1.




Figure 2.

Price Per Each52¢

ACCEPTANCE OF ORDERS—

All orders will be accepted subject to our ability to furnish. They may be revoked by us after acceptance on account of accidents, strikes, fires or any other conditions beyond our control.

ALL PRICES AND DISCOUNTS SUBJECT TO WITHDRAWAL WITHOUT NOTICE.

THIS SCHEDULE SUPERSEDES ALL SCHEDULES OF EARLIER DATE.

SILENT-NITE OPERATING FASTENERS



SILENT-NITE FASTENERS


Hold sash firmly, no rattle in the wind. Sash can be opened and held at any angle. Locks when closed; cannot be opened from the outside.

Easily attached or removed.

SILENT-NITE FASTENERS

Price per set (2) \$0.90

FOR STORM WINDOWS



Plated Ventilators


STORM SASH VENTILATORS

Storm Sash Ventilators (1) \$0.45

Storm Sash Ventilators (1)
(Applied) \$0.90

ORNAMENTAL GRILL SHEETS

METAL CANE DESIGN



CARRIED IN STOCK


METAL CANE GRILL

Price per Square Foot \$0.75

Size in Stock 3-0 x 5-0

The Thrif-T WARDROBE

THE SUCCESSOR TO THE CLOTHES CLOSET



CARTON PACKED

Thrif-T Wardrobe is carton packed—it reaches the job CLEAN and READY-TO-INSTALL.

FINISHES BEAUTIFULLY

Suitable for paint, enamel stain or natural finish.

SIZE DETERMINED by CAREFUL RESEARCH

The Thrif-T Wardrobe comes for opening 3'-8 3/4" wide, 8'-3 1/2" high, made for 2'-4" deep recess, plaster to plaster. The height may easily be adjusted where required by 8' ceiling.

Price \$69.00

REQUIRES NO ROOM SPACE

The front is recessed 1 1/2" from face of plaster. Thus, room space is conserved, and the wardrobe is protected from shifting furniture, etc. Smartly trimmed, the completed job is neatness itself.

CHOICE of INSTALLATION METHOD

The recess wall construction may be lath and plaster or 1/4" wall board as desired. Wardrobe may be in recess; set out in room, singly or in pairs; lined at top with 6'-8" door, etc. according to the owner's preference. No back, ends or ceiling included.


ENTIRE SPACE AVAILABLE and ACCESSIBLE

Every inch of valuable storage space is utilized — Cabinet extends to ceiling — Doors and drawers permit ready access to contents. The two main sliding doors are overhead roller type and can be removed by simply lifting them off track — for access and easy cleaning.


NO CUTTING of STUDDING

Made to set between studs spaced 16" on centers — no cutting of studding ordinarily needed — except when selected location so requires.

DOOR HANGERS



DOOR GUIDES




MAHONEY MILLWORK

STERLING SASH CORD

Braided Cotton—Waterproof


SASH CORD



No. 7 -- In dozen lots--Per Hank..... \$2.75

OAK DOOR SILLS

OAK THRESHOLDS



2-6..... \$3.60
2-8..... 3.80
3-0..... 4.00

HARDWOOD THRESHHOLDS

5/8 x 3-3/4 x 3-0..... \$0.75

ASTRAGALS

3598--For 1-3/4 x 7-0 Door \$2.65



ASTRAGAL

BIRCH DOWEL RODS



Size and Length	Weight Per 100 Rods	No. Pieces Per Bundle	List Prices Per 100 Rods
3/16" — 3'0" long	4 lbs.	1000 Pcs.	\$ 2.50
1/4" — 3'0" long	4 1/2 lbs.	500 Pcs.	3.00
5/16" — 3'0" long	9 lbs.	500 Pcs.	3.85
3/8" — 3'0" long	10 lbs.	200 Pcs.	4.85
1/2" — 3'0" long	18 lbs.	200 Pcs.	8.60
5/8" — 3'0" long	28 lbs.	100 Pcs.	10.60
3/4" — 3'0" long	40 lbs.	100 Pcs.	15.50
1" — 3'0" long	72 lbs.	50 Pcs.	36.00

For Less Than Full Bundles — Add 10%



Fold-A-Way


**EASILY INSTALLED
IN OLD OR
NEW HOMES**

WEL-BILT FOLDING STAIRWAYS

Do not take up valuable storage space in attic. Full height required above attic floor is only 22 inches.

**Requires very little
expense to install.**

**ARE STRONG, COMPACT
AND EASY TO OPERATE.**



TWO STANDARD SIZES MADE 8'9" and 9'9"

For ceiling heights 7'0" to 8'9" use 8'9".

For ceiling heights 8'9" to 9'9" use 9'9".

FOLD-A-WAY STAIRS

operate easily since they are carefully balanced with straight coil springs. A slight pull on the chain swings the stairway downward for use. A gentle upward swing closes the stairway.

Frame is made to fit 25½" x 60½" opening in ceiling.

(Also can furnish same stair to fit 25½" x 54" opening.)

Figure from finished floor to finished ceiling. Not floor to floor.

When ordering, state whether 8'9" or 9'9" is desired.

All Parts manufactured from highest quality materials. Plywood panels furnished unless otherwise specified.

For ceiling heights 7'0" to 8'9" use 8'9". \$56.25
For ceiling heights 8'9" to 9'9" use 9'9". 56.25

Shipping weight approximately 70 pounds.
IN ONE CARTON.

FLOATING ACTION




HANGERS

**Noiseless Finger-Tip
Operation!**

**No Tracks at Top
or at Bottom**

These hangers consist of a wood pocket like detail below and a set of hardware—a steel scissor mechanism which is noiseless, fool-proof and so rugged and simple that it is virtually impossible for it to get out of order. Doors only **APPEAR** to slide, since they do move in and out of pocket, but there is no track—the doors glide from the operation of the cantilever equipment.



EASILY INSTALLED

2 Brackets and 2 Runners to secure—one set to door—one set to back cripple.

For $1\frac{3}{8}$ " or $1\frac{3}{4}$ " doors.

For walls $5\frac{1}{4}$ " or less.

ROUGH OPENINGS

When the DORFLO WALL SECTION is used it is necessary only to supply the job foreman with dimensions of the rough openings, namely, widths between the studs, and the height from the subfloor to the bottom of the header.

Door Size	Width	Height
2'0" x 6'8"	5' $2\frac{1}{2}$ " x 6' $11\frac{1}{4}$ "	
2'2" x 6'8"	5' $6\frac{1}{2}$ " x 6' $11\frac{1}{4}$ "	
2'4" x 6'8"	5' $10\frac{1}{2}$ " x 6' $11\frac{1}{4}$ "	
2'6" x 6'8"	6' $2\frac{1}{2}$ " x 6' $11\frac{1}{4}$ "	
2'8" x 6'8"	6' $6\frac{1}{2}$ " x 6' $11\frac{1}{4}$ "	

Price per Set of Hardware (exclusive of lock)..... **\$16.50**

Price per Pocket, K. D. (No trim furnished)..... **16.50**


Specify Size and Thickness of Door When Ordering.

Door jamb, with or without stops — see page 73.


KENNATRACK

HAS SLIDING DOOR HARDWARE


Specially Designed and
Engineered for every
interior application



SERIES 250—For by-passing $\frac{3}{4}$ " to $1\frac{1}{4}$ " doors on cabinets, wardrobes and fixtures. Hanger permits mounting doors flush with cabinet face.



SERIES 400—For heavy closed pocket installations. This is generally considered the finest sliding door hardware obtainable. Allows vertical door adjustment. Ball bearing hangers.



SERIES 300—Kennatrack's most popular hanger. Series 300 is for converging doors, closed and open pocket installation. Has exclusive mounting plug feature requiring minimum headroom of only one inch.

FLUSH CUP. DOOR PULLS No. 10

For $\frac{3}{4}$ " Dia. Hole

*Brass, not lacquered, per doz.	\$.45
*Nickel Finish, per doz.	.60

FLUSH CUP. DOOR PULLS No. 20

For $1\frac{3}{4}$ " Dia. Hole

Polished Brass Lacquered, per Each	\$.45
Brass, not lacquered, per Each	.36
Dull Bronze, per Each	.45
*Bright Chrome, per Each	.57

FLUSH PULL No. 50

$\frac{3}{8}$ " Depth

*Polished Brass, per Each	\$.45
Dull Bronze, per Each	.45
*Bright Chrome, per Each	.57

KENNATRACK

Series 200, 225 and 250
For $\frac{3}{4}$ " and $1\frac{3}{16}$ " Doors Only

One Set 48" Track (2-Door)	Complete	8.55
One Set 48" Track (3-Doors)	Complete	10.56
One Set 48" Track (4-Doors)	Complete	12.60
One Set 58" Track (2-Doors)	Complete	9.09
One Set 64" Track (4-Doors)	Complete	13.62
One Set 70" Track (2-Doors)	Complete	10.35
One Set 70" Track (3-Doors)	Complete	12.36
One Set 96" Track (4-Doors)	Complete	16.80

SERIES 300

Neoprene Tired Wheels—Plain Bearing

* 48"	Track—Complete	\$ 6.57
* 64"	Track—Complete	7.50
* 72"	Track—Complete	8.10
* 84"	Track—Complete	9.00
* 96"	Track—Complete	10.35

PARTS FOR SERIES 300

Hanger Assembly—For one door	\$4.05
Expansion Sleeve—For one door	.72
Door Guide—One to a door, each	.21
Metal Drill Jig, each	.99

Locks, Latches, and Pulls not included in above prices.

SERIES 400

BALL BEARING CARRIAGE — NEOPRENE TIRED WHEELS

48" Track—Complete	\$10.50
64" Track—Complete	11.10
72" Track—Complete	11.46
84" Track—Complete	12.60

PARTS FOR SERIES 200

Hanger Assembly—Two to a door	\$2.04
Door Guide—One to a door, each	.21

WOODLIFE

Protects Your Frames


DEALER PRICE LIST

PRODUCT	Size	Units in Case	Shipping Weight Approx. Pounds	PRICES	
				List	Dealer
WOODLIFE					
<i>Toxic</i>	1-Quart	12	27	\$1.20	\$.80
<i>Water Repellent</i>	1-gal.	6	50	3.20	2.13
	5-gal.	1	42	3.00	2.00
<i>Clear</i>	55-gal.	1	444	1.65	1.10

P. A. R.

PROTECT ALL REDWOOD
A Penetrating Water Repellent Stain for:


Size	Units in Case	Shipping Weight Approx. Pounds	PRICES	
			List	Dealer
1 quart	12	27	\$1.25	\$.83
1 gallon	6	50	3.65	2.43
5 gallon	1	42	3.55	2.37

P.A.R. renews and protects the fine rich appearance of Redwood — giving a non-glossy finish. Ideal for siding, trim, shingles, outdoor furniture, fences and other Redwood products.



WOODLIFE Treated

WOODLIFE treatment has kept this window and frame in its original sound, bright condition throughout several years of exposure in an outside wall of a test-room kept at 60% humidity and 80° temperature.



Untreated

An untreated window in the same test. Note the difference! WOODLIFE not only saves your frames from such fungus decay and stain, but also aids the wood in retaining its high insulating value.

Marlite

plastic-finished wall and ceiling panels

DELUXE FINISH

HI-GLOSS FINISH

PLAIN-COLORS

HORIZONTALINE

TILE-PATTERN

PLAIN-COLORS

HORIZONTALINE

TILE-PATTERN

Marlite Wood Patterns

Velwood

Marlite Marble Patterns

MARSH ALUMINUM ALLOY MOULDINGS

**MARSH COLOR-MATCHED
ALUMINUM MOULDINGS**

MARSH C-300 WATERPROOF ADHESIVE

MARLITE POLISH

MARSH C-100 WATERPROOF CAULKING

**WE CARRY A COMPLETE
STOCK FOR PROMPT
DELIVERY AT ALL TIMES**

AT

OUR-YOUNGSTOWN-OHIO


WAREHOUSE

"UNIPAK" WOOD CASEMENTS

The rare architectural beauty of "Unipak" with its narrow lines, compact construction, and deep reveals is combined with high standards of efficiency and service in all its fittings and appointments.

(See Cut Below)

- A—Typical head and sill construction. Positively leak-proof.
- B—Beautiful narrow line extruded aluminum screen.
- C—Narrow line extruded aluminum double glazing panel fitted with a compressible tubular gasket of extruded rubber, insures sealing of double glazing panel.
- D—Before face puttying, glass is bedded in high-quality glazing compound.
- E—Note compactness of installation, only 1-5/8" from screen to outside glass.



Extension hinges, factory applied, of heavy cadmium-plated steel, provide 4" opening for cleaning outside of sash from inside of building. Used on 200 Series Units. Close-in hinges of similar design used on 100 Series Units.



DOUBLE GLAZING


Removable glass panel with aluminum frame equipped with compression rubber gasket attaches to inside of sash with clips and swings with sash for year-round insulation. Removed only for occasional cleaning—meets air-conditioning requirements. Reduces heat loss by radiation sixty per cent. Requires no fitting or painting.



EXTENSION HINGE


OPERATIVE UNITS

High quality nationally-known worm and gear type operators are used. Automatically hold sash in any desired position. Casement is operated without interference with screen. Crank does not project beyond stool line.



ANGLE DRIVE OPERATOR

Sash Lock—Cam action picks up sash within about 1/2" of closed position, also forcibly ejects sash slightly when opening. Operates without interference with screen. Two locks furnished for all sash over three lights high.



SASH LOCK

HARDWARE SPECIFICATIONS

Operators and Locks—Statuary Bronze finish is standard. Bright chromium finish is also available at extra cost. Swivel knobs of handles for operators and handles for locks are solid brass.

Weather Strip—Spring bronze and

interlocking type, completely installed at factory.


Screens—Extruded aluminum frames wired with 16 mesh aluminum wire cloth. Require no fitting or painting. Attaching clips are supplied.

"UNIPAK" - NOTHING FINER
IN CASEMENT UNITS

SEE OUR SPECIAL FOLDER
INCLUDING SPECIFICATIONS
AND PRICES.

WE ARE NOW READY
TO SERVE YOU WITH
THIS SPLENDID LINE
IN ALL SIZES.


Another **GLAMOUR DOOR** MAKES ITS DÉBUT



Size
3-0 x 6-8

\$46.00

IN STOCK



Profile of Stile

Glass

FL400

A SENSATIONAL NEW ENTRANCE DOOR

Modern styling with a quiet gracious dignity.

The large square equal size panels give this door that generous appearance of greater width. Thus the spirit of hospitality and welcome which every entrance should impart, is greatly amplified.

The "400" is distinctly different in styling. Note the center area, the focal point of each panel is glass. It is acid etched but satin smooth with a narrow band of clear glass to form the center square and provide ample vision through the door. Light is admitted but direct rays of sunlight are excluded.

This door must be seen to be fully appreciated. The illustration can only suggest the sparkle and freshness that actually radiates from the exclusive glass panels which accent the design pattern of this strikingly beautiful creation.

Truly a door to command instant appeal.

Specifications

MATERIAL - White Pine throughout. Treated with Qualitybilt wood preservative (toxic and water repellent).

GLASS - Acid etched D. S. $13\frac{1}{4}" \times 13\frac{1}{4}"$

The same size as for Glamour Doors FL67, FL71G, FL72G, and FL73G in which this new glass may also be used when so ordered.

DOOR SIZE - 3-0x6-8x $1\frac{3}{4}"$ only.

LAYOUT - (Face measurements)

Stiles - 5"

Lock Rail - $7\frac{1}{4}"$

Top Rail - $7\frac{5}{8}"$

Bottom Rail - $13\frac{3}{8}"$

CANTON

PHONE

5-0353

YOUNGSTOWN

PHONE

9-3237

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA